



# Camera Models Report

Filter: -

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi 196	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi 197	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi 198	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi 199	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi A950	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), CIF (352x240), 3200x1800	✓	✓	✓	✓	✓
ACTi ACM-1011	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x1024 (11:4), 160x112					
ACTi ACM-1231	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 160x112					
ACTi ACM-1232	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-1311	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-1431	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-1432	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-1511	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-3001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-3011	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-3100 Series	ACTi Corporation	640x480 (4:3), CIF (352x240), 352x288, 160x112, 176x144					
ACTi ACM-3211	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-3311	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-3401	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-3411	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-3511	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-3601	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi ACM-3603	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-3701	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-3703	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-4000	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-4001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-4100	ACTi Corporation	640x480 (4:3), CIF (352x240), QCIF (176x120), 352x288, 176x144					
ACTi ACM-4200	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-4201	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-5001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi ACM-5601	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-5611	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi ACM-5711	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-5811	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-7511	ACTi Corporation	640x480 (4:3), D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi ACM-8201	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112				✓	
ACTi ACM-8211	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112				✓	
ACTi B511A	ACTi Corporation	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL), 1024x1024, 2048x2048, 4096x2160					
ACTi B59A	ACTi Corporation	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 1024x1024, 3072x2048, 4096x2160					
ACTi B74A	ACTi Corporation	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 1024x1024, 3072x2048, 4096x2160					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi B76A	ACTi Corporation	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL), 1024x1024, 2048x2048, 4096x2160					
ACTi B910	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 2688x1520	✓	✓	✓	✓	✓
ACTi B911	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B912	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B913	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B915	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B916	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B917	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B922	ACTi Corporation	2592x1944 (4:3)	✓	✓	✓	✓	✓
ACTi B923	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B928	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B934	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B943	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B945	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B949	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B94A	ACTi Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B95A	ACTi Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi B96A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi B97A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi CAM-5100	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5120	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5130	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5140	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5150	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5201	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5221	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5301	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-5321	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6100 Series	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6200 Series	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6510	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6610	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6620	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-6630	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-7100 Series	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-7200 Series	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					
ACTi CAM-7300 Series	ACTi Corporation	D1 (720x480), CIF (352x240), D1 (720x576), 352x288, 160x112, 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Default	ACTi Corporation						
ACTi I910	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 2688x1520	✓	✓	✓	✓	✓
ACTi I912	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 2688x1520	✓	✓	✓	✓	✓
ACTi I915	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi I92	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi I94	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi KCM-3211	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-3911	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-5111	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-5311	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-5311E	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-7211	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi KCM-7911	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q11	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q110	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q111	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1440x1080					
ACTi Q111-K1	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q112	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q112-K1	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q113	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q115	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Q12	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q13	ACTi Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1440x1080					
ACTi Q13-K1	ACTi Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1440x1080					
ACTi Q14	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q14-K1	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q19	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Q22	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Q22-K1	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Q91	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)		✓			✓
ACTi Q93	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					✓
ACTi Q94	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					✓
ACTi Q960	ACTi Corporation	640x480 (4:3), 640x960			✓		✓
ACTi Q961	ACTi Corporation	640x480 (4:3), 640x960			✓		✓
ACTi Q962	ACTi Corporation	640x480 (4:3), 640x960			✓		✓
ACTi Standard A21	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard A23	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard A23-K1	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard A23-K2	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard A24	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard A31	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Standard B51	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard B52	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓		✓
ACTi Standard B53	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard B71	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard C11W	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		✓
ACTi Standard D32	ACTi Corporation	2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard D42A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard D55	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard D62A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard D65A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard D72A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard D82A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E11A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E12A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E13A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓			✓
ACTi Standard E14	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Standard E15	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1440x1080	✓	✓			✓
ACTi Standard E16	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1440x1080, 3648x2736	✓	✓			✓
ACTi Standard E17	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓			✓
ACTi Standard E217	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard E21VA	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard E222	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard E22VA	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard E23B	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
ACTi Standard E271	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓	✓	✓
ACTi Standard E31A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					✓
ACTi Standard E32A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					✓
ACTi Standard E33A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					✓
ACTi Standard E36	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					✓
ACTi Standard E37	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160					✓
ACTi Standard E39	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E41	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					
ACTi Standard E42B	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Standard E43B	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E44A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E46A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E48	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓		✓
ACTi Standard E51	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					
ACTi Standard E52	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9)					
ACTi Standard E53	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard E54	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard E56	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard E58	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
ACTi Standard E59	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160					
ACTi Standard E610	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓		✓
ACTi Standard E62A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E63A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E65A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E67A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E69	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi Standard E710	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E72A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E73A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E74A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E76	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E77	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓		✓
ACTi Standard E78	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E79	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E82A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E83A	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E84A	ACTi Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E86A	ACTi Corporation	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
ACTi Standard E89	ACTi Corporation	2592x1944 (4:3), 2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 3648x2736, 3648x2160	✓	✓	✓		✓
ACTi Standard KCM-7111	ACTi Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 2032x1920	✓	✓	✓		✓
ACTi TCM-1011	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-1111	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-1231	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
ACTi TCM-1511	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-3001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-3011	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-3401	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-3411	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-3511	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-4001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-4101	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-4201	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-4301	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-4511	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-5001	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-5111	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-5311	ACTi Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 160x112					
ACTi TCM-5312	ACTi Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 160x112					
ACTi TCM-5601	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-5611	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-7011	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 160x112					
ACTi TCM-7411	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi TCM-7811	ACTi Corporation	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 160x112					
ACTi Z950	ACTi Corporation	1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
Advidia A-14	Advidia	1280x960 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-15	Advidia	1280x960 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-200-P	Advidia	640x480 (4:3), 1920x1080 (16:9), D1 (720x480)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Advidia A-34	Advidia	2048x1536 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-34W	Advidia	2048x1536 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-35	Advidia	2048x1536 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-44	Advidia	1600x1200 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-44 IR	Advidia	1600x1200 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-45	Advidia	1600x1200 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-46	Advidia	1600x1200 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-47	Advidia	2048x1536 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia A-54	Advidia	2048x1536 (4:3), 640x480 (4:3), D1 (720x480)					
Advidia B-31	Advidia	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Advidia B-33	Advidia	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Advidia B-5360	Advidia	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 640x480 (4:3), 320x240 (4:3)					
Advidia Default	Advidia						
American Dynamic ADCi600-D011	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D013	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D021	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D023	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D031	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D033	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D041	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D043	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D111	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D113	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D121	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D123	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic ADCi600-D131	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D133	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D141	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D143	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D321	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D322	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D341	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D343	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D521	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D523	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D541	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600-D543	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi600F-D021A	American Dynamic	800x600 (4:3), 640x480 (4:3), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), 4CIF (704x480), CIF (352x240)					✓
American Dynamic ADCi600F-D111A	American Dynamic	800x600 (4:3), 640x480 (4:3), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), 4CIF (704x480), CIF (352x240)					✓
American Dynamic ADCi600-M111	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)					✓
American Dynamic ADCi610-D011	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D013	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D021	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D023	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D031	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic ADCi610-D033	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D041	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D043	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D111	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D113	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D121	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D123	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D131	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D133	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D141	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D143	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D321	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D323	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D341	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D343	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D521	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D523	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D541	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-D543	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
American Dynamic ADCi610-M022	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9)			✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic ADCi610-M111	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)					✓
American Dynamic ADCi825-F311	American Dynamic	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 1600x600 (8:3), 720x720, 2560x1960				✓	✓
American Dynamic ADCi825-F312	American Dynamic	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 1600x600 (8:3), 720x720, 2560x1960				✓	✓
American Dynamic ADCiPTZINDWCLR	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic ADCMGBXDBL	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)					✓
American Dynamic ADCMGBXSGL	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)					✓
American Dynamic ADHD2DO1IR	American Dynamic	1920x1080 (16:9)				✓	✓
American Dynamic ADHD2MVFB01224	American Dynamic	1920x1080 (16:9)	✓			✓	✓
American Dynamic ADHD2MVFB02	American Dynamic	1920x1080 (16:9)	✓			✓	✓
American Dynamic ADPOE-Plus	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic Default	American Dynamic	4CIF (704x480), CIF (352x240), 854x480 (16:9)				✓	
American Dynamic IES01CFACWSY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES01CFBCWIYA	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES01MFBNWIYA	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES02B1BNWIYB	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IES02CFACWSY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES02CFBCWIYA	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES02D1OCWIYB	American Dynamic	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IES02MFBNWIYA	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IF03DITPZ	American Dynamic	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), 4CIF (704x480), CIF (352x240)					✓
American Dynamic IF03DOTPZ	American Dynamic	2048x1536 (4:3), 800x600 (4:3), 640x480 (4:3), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), 4CIF (704x480), CIF (352x240)					✓
American Dynamic IFS02P5ICWTY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9)	✓	✓	✓	✓	✓
American Dynamic IFS02P5OCWTY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9)	✓	✓	✓	✓	✓
American Dynamic IFS03B1BNWIT	American Dynamic	2048x1536 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9)	✓	✓	✓		✓
American Dynamic IFS03CFOCWST	American Dynamic	2048x1536 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9)					✓
American Dynamic IFS03D1ICWTT	American Dynamic	2048x1536 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9)	✓	✓	✓		✓
American Dynamic IFS03D1ICWTT-Z	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IFS03D1OCWIT	American Dynamic	480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9)	✓	✓	✓		✓
American Dynamic IFS03D1OCWIT-Z	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
American Dynamic IFS03XNANWTT	American Dynamic	2048x1536 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9)	✓	✓	✓		✓
American Dynamic IPL02B1BNWIY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 960x540			✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPP02P6ANBTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPP02P6BCWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPP02P6BSWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPP02P6OCWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPP02P6OSWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS02D00CWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ICBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ICBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS02D2ICWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ICWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ISBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ISBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ISWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2ISWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OCBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS02D2OCBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OCWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OCWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OSBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OSBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OSWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D2OSWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS02D3ICBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ICBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ICWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ICWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ISBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ISBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3ISWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS02D3ISWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02D3OCWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS02P6ANBTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS02P6BCWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS02P6BSWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS02P6OCWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS02P6OSWTT	American Dynamic	1920x1080 (16:9), 1600x900 (16:9), 1280x720 (16:9), 1024x576 (16:9), 960x540 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓		✓	✓	
American Dynamic IPS03D0OCWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS03D2ICBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ICBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ICWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ICWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ISBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ISBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2ISWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS03D2ISWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OCBIT	American Dynamic	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OCBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OCWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OCWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OSBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OSBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS03D2OSWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 2560x1960	✓	✓			✓
American Dynamic IPS03D2OSWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ICBIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ICBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ICWIT	American Dynamic	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ICWTT	American Dynamic	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ISBTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS03D3ISWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3ISWTT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS03D3OCWIT	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D0OCWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960					✓
American Dynamic IPS05D2ICBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ICBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ICWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS05D2ICWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ISBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ISBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ISWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2ISWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OCBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OCBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS05D2OCWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OCWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OSBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OSBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OSWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D2OSWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ICBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS05D3ICBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ICWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ICWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ISBIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ISBTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ISWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS05D3ISWTY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
American Dynamic IPS05D3OCWIY	American Dynamic	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 1920x1440 (4:3), 2560x1960	✓	✓			✓
American Dynamic IPS12FFOCWIYA	American Dynamic	384x288 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), 384x216 (16:9), 384x384, 2048x2048, 720x720, 960x960, 480x480, 2688x1512, 960x544, 2992x2992, 1408x1408, 1072x1072, 640x640	✓	✓	✓	✓	✓
American Dynamic IQS02MFONWTY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9)			✓	✓	✓
American Dynamic IQS05FFACWCY	American Dynamic	1920x1080 (16:9), 1280x720 (16:9)			✓	✓	✓
American Dynamic W2345QS02CFICWSN	American Dynamic	1920x1080 (16:9), 1280x720 (16:9)			✓	✓	✓
Anson AX-100VAA1-AHD	Anson						
Anson AX-130PIV	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-200DA	Anson						
Anson AX-200DA-AHD	Anson	1920x1080 (16:9)					
Anson AX-200DA-C-AHD	Anson	1920x1080 (16:9)					
Anson AX-200DA-CVI	Anson	1920x1080 (16:9)					
Anson AX-200DA-D-AHD	Anson	1920x1080 (16:9)					
Anson AX-200DA-E-AHD	Anson	1920x1080 (16:9)					
Anson AX-200DA-F-AHD	Anson	1920x1080 (16:9)					
Anson AX-200DA-TVI	Anson	1920x1080 (16:9)					
Anson AX-200DBB-CVI	Anson		✓	✓			✓
Anson AX-200DQ-CVI	Anson	1920x1080 (16:9)					
Anson AX-200PIV	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-200VAA	Anson						
Anson AX-200VAA1	Anson						
Anson AX-200VAA1-AHD	Anson						
Anson AX-200VAA-AHD	Anson						
Anson AX-200VAA-TVI	Anson	1920x1080 (16:9)					
Anson AX-200VBC-AHD	Anson	1920x1080 (16:9)					
Anson AX-200VDA-CVI	Anson		✓	✓			✓
Anson AX-200VDB-TVI	Anson	1920x1080 (16:9)					
Anson AX-200VLB	Anson						
Anson AX-200VLB-AHD	Anson	1920x1080 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-200VLB-CVI	Anson						
Anson AX-200VLBD	Anson						
Anson AX-200VLBD-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WA-CVI	Anson	1920x1080 (16:9)					
Anson AX-200WB-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WBB-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WBB-CVI	Anson	1920x1080 (16:9)					
Anson AX-200WCA-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WCB-CVI	Anson	1920x1080 (16:9)					
Anson AX-200WCC	Anson						
Anson AX-200WCC-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WDA1-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WDA-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WDB	Anson						
Anson AX-200WDB-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WDB-TVI	Anson	1920x1080 (16:9)					
Anson AX-200WDC1-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WDC2-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTB	Anson						
Anson AX-200WTB-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTC2	Anson						
Anson AX-200WTC2-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTC3	Anson						
Anson AX-200WTC3-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTC-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTC-CVI	Anson	1920x1080 (16:9)					
Anson AX-200WT-CVI	Anson	1920x1080 (16:9)					
Anson AX-200WTD2	Anson						
Anson AX-200WTD2-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTD3	Anson						
Anson AX-200WTD3-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTD-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTE-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTF2	Anson						
Anson AX-200WTF2-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTG3	Anson						



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-200WTG3-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTG-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTH	Anson						
Anson AX-200WTH-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTI	Anson						
Anson AX-200WTI-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTJ	Anson						
Anson AX-200WTJ-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTK	Anson						
Anson AX-200WTK-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTL	Anson						
Anson AX-200WTL-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTM	Anson						
Anson AX-200WTM-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WTT-AHD	Anson	1920x1080 (16:9)					
Anson AX-200WX-TVI	Anson	1920x1080 (16:9)					
Anson AX-36PIM-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-400WCC	Anson						
Anson AX-400WTD3	Anson						
Anson AX-400WTG3	Anson						
Anson AX-620W	Anson	1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓		✓	✓
Anson AX-621W	Anson						✓
Anson AX-622W	Anson	1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Anson AX-700VE-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700VG2-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700VQ-A-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700WA-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700WBB-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700WB-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-700WL2-WDR	Anson	D1 (720x480), D1 (720x576)					
Anson AX-A130VCA	Anson		✓	✓			✓
Anson AX-A130VEA	Anson		✓	✓			✓
Anson AX-A130WX	Anson		✓	✓			✓
Anson AX-A200VAA	Anson						
Anson AX-A200VBA	Anson						✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-A200VCA	Anson						
Anson AX-A200VEA	Anson						
Anson AX-A200VEB	Anson						
Anson AX-A200WA	Anson						
Anson AX-A200WB	Anson						
Anson AX-A200WBB	Anson						
Anson AX-A200WCB	Anson						
Anson AX-A200WDA	Anson						
Anson AX-A200WDB	Anson						
Anson AX-A200WDG-B	Anson						
Anson AX-A200WX	Anson						
Anson AX-A400VAA	Anson		✓	✓	✓		✓
Anson AX-A400VCA	Anson		✓	✓	✓		✓
Anson AX-A400VDB	Anson		✓	✓	✓		✓
Anson AX-A400WX	Anson		✓	✓	✓		✓
Anson AX-A500VAA	Anson		✓	✓			✓
Anson AX-A500VBA	Anson		✓	✓	✓		✓
Anson AX-A500VDB	Anson		✓	✓	✓		✓
Anson AX-A500WDB	Anson		✓	✓			✓
Anson AX-A500WX	Anson		✓	✓	✓		✓
Anson AX-C1600VC	Anson	1280x960 (4:3)					
Anson AX-C1600VE	Anson	1280x960 (4:3)					
Anson AX-C1600VG-2	Anson	1280x960 (4:3)					
Anson AX-C1600VQ-A	Anson	1280x960 (4:3)					
Anson AX-C1600WA	Anson	1280x960 (4:3)					
Anson AX-C1600WB	Anson	1280x960 (4:3)					
Anson AX-C1600WBB	Anson	1280x960 (4:3)					
Anson AX-C1600WL2	Anson	1280x960 (4:3)					
Anson AX-C800VC	Anson	D1 (720x480), D1 (720x576)					
Anson AX-C800VG-2	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-C800VQ-A	Anson	D1 (720x480), D1 (720x576)					
Anson AX-C800WA	Anson	D1 (720x480), D1 (720x576)					
Anson AX-C800WBB	Anson	D1 (720x480), D1 (720x576)					
Anson AX-C800WL2	Anson	D1 (720x480), D1 (720x576)					
Anson AX-F200DA-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200VAA	Anson		✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-F200VAA1-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200VAA-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200VDB	Anson		✓	✓	✓		✓
Anson AX-F200VEB	Anson		✓	✓	✓		✓
Anson AX-F200VLB-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200VLBD-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WCC-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WDA	Anson		✓	✓			✓
Anson AX-F200WDB	Anson		✓	✓	✓		✓
Anson AX-F200WDB-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTB-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTC2-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTC3-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTD2-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTD3-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTF2-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTG3-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTH-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTI-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTJ-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTK-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTL-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WTM-AHD	Anson	1920x1080 (16:9)					
Anson AX-F200WX	Anson		✓	✓	✓		✓
Anson AX-F500VAA	Anson		✓	✓	✓		✓
Anson AX-F500VCA	Anson		✓	✓	✓		✓
Anson AX-F500VDB	Anson		✓	✓	✓		✓
Anson AX-F500WDB	Anson		✓	✓	✓		✓
Anson AX-F500WX	Anson		✓	✓	✓		✓
Anson AX-H200DA	Anson						
Anson AX-H200DA-C	Anson						
Anson AX-H200DA-D	Anson						
Anson AX-H200DA-E	Anson						
Anson AX-H200DA-F	Anson						
Anson AX-H200VAA	Anson						
Anson AX-H200VBC	Anson						



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-H200VLB	Anson						
Anson AX-H200VLBD	Anson						
Anson AX-H200WB	Anson						
Anson AX-H200WBB	Anson						
Anson AX-H200WCA	Anson		✓	✓	✓		✓
Anson AX-H200WCC	Anson						
Anson AX-H200WDA	Anson						
Anson AX-H200WDB	Anson						
Anson AX-H200WDC2	Anson						
Anson AX-H200WTB	Anson						
Anson AX-H200WTC	Anson						
Anson AX-H200WTC2	Anson						
Anson AX-H200WTC3	Anson						
Anson AX-H200WTD	Anson						
Anson AX-H200WTD1	Anson						
Anson AX-H200WTD2	Anson						
Anson AX-H200WTD3	Anson						
Anson AX-H200WTE	Anson						
Anson AX-H200WTF2	Anson						
Anson AX-H200WTG3	Anson						
Anson AX-H200WTH	Anson						
Anson AX-H200WTI	Anson						
Anson AX-H200WTJ	Anson						
Anson AX-H200WTK	Anson						
Anson AX-H200WTL	Anson						
Anson AX-H200WTM	Anson						
Anson AX-H200WTT	Anson						
Anson AX-H20PD-2	Anson	1920x1080 (16:9)				✓	
Anson AX-H20PD-4	Anson	2592x1520	✓	✓	✓	✓	✓
Anson AX-H20PD-AHD-2	Anson	1920x1080 (16:9)			✓	✓	
Anson AX-H20PM-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-H20PM-4	Anson	2592x1520	✓	✓	✓	✓	✓
Anson AX-H20PMC	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-H36PD-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-H36PD-AHD-2	Anson	1920x1080 (16:9)			✓	✓	
Anson AX-H36PM-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-H36PMC-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-H400DA	Anson						
Anson AX-H400VAA	Anson						
Anson AX-H400VAA1	Anson						
Anson AX-H400VLB	Anson						
Anson AX-H400VLBD	Anson						
Anson AX-H400WDB	Anson						
Anson AX-H400WTB	Anson						
Anson AX-H400WTC2	Anson						
Anson AX-H400WTC3	Anson						
Anson AX-H400WTD2	Anson						
Anson AX-H400WTF2	Anson						
Anson AX-H400WTH	Anson						
Anson AX-H400WTI	Anson						
Anson AX-H400WTJ	Anson						
Anson AX-H400WTK	Anson						
Anson AX-H400WTL	Anson						
Anson AX-H400WTM	Anson						
Anson AX-K800VAA	Anson						
Anson AX-K800VCA	Anson						
Anson AX-K800WCB	Anson						
Anson AX-K800WCC	Anson		✓	✓	✓		✓
Anson AX-K800WDB	Anson		✓	✓	✓		✓
Anson AX-K800WQB	Anson		✓	✓	✓		✓
Anson AX-M200VAA-AHD	Anson	1920x1080 (16:9)					
Anson AX-M200VAA-CVI	Anson	1280x960 (4:3)					
Anson AX-M200VAA-TVI	Anson	1280x960 (4:3)					
Anson AX-M200VCA-AHD	Anson	1920x1080 (16:9)					
Anson AX-M200VCA-CVI	Anson	1280x960 (4:3)					
Anson AX-M200VCA-TVI	Anson						
Anson AX-M200VDB-AHD	Anson	1280x960 (4:3)					
Anson AX-M200VDB-CVI	Anson	1280x960 (4:3)					
Anson AX-M200VDB-TVI	Anson	1280x960 (4:3)					
Anson AX-M200WCB-AHD	Anson	1920x1080 (16:9)					
Anson AX-M200WCC-AHD	Anson	1920x1080 (16:9)					
Anson AX-M200WDB-AHD	Anson						



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson AX-M200WDB-CVI	Anson	1280x960 (4:3)					
Anson AX-M200WDB-TVI	Anson	1280x960 (4:3)					
Anson AX-M200WQB-AHD	Anson						
Anson AX-M200WX-AHD	Anson	1280x960 (4:3)					
Anson AX-M200WX-CVI	Anson	1280x960 (4:3)					
Anson AX-M200WX-TVI	Anson	1280x960 (4:3)					
Anson AX-M20PD-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M20PD-4	Anson	2592x1520	✓	✓	✓	✓	✓
Anson AX-M20PD-AHD-2	Anson	1920x1080 (16:9)			✓	✓	
Anson AX-M20PM-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M20PM-4	Anson	2592x1520	✓	✓	✓	✓	✓
Anson AX-M20PM-AHD-2	Anson	1920x1080 (16:9)				✓	
Anson AX-M20PMC-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M20PMC-4	Anson	2592x1520	✓	✓	✓	✓	✓
Anson AX-M20PMC-AHD-2	Anson	1920x1080 (16:9)				✓	
Anson AX-M36PD-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M36PD-AHD-2	Anson	1920x1080 (16:9)				✓	
Anson AX-M36PM-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M36PM-AHD-2	Anson	1920x1080 (16:9)				✓	
Anson AX-M36PMC-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M36PMC-AHD-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Anson AX-M400VAA	Anson						
Anson AX-M400VCA	Anson						
Anson AX-M400WCB	Anson						
Anson AX-M400WCC	Anson						
Anson AX-M400WDB	Anson						
Anson AX-M400WQB	Anson						
Anson AX-S700VC	Anson	D1 (720x480), D1 (720x576)					
Anson AX-S700VE	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-S700VG-2	Anson	D1 (720x480), D1 (720x576)					
Anson AX-S700VQ-A	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-S700WA	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-S700WB	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-S700WBB	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-S700WL2	Anson	960x720 (4:3), 960x540 (16:9)					
Anson AX-X400WDB	Anson	2560x1440 (16:9), 2688x1512					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Anson KBA127	Anson	1280x960 (4:3)					
Anson KBA127A	Anson	1280x960 (4:3)					
Anson X-M36PD-2	Anson	1920x1080 (16:9)	✓	✓	✓	✓	✓
Arecont AV10005	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570, 2944x1920					
Arecont AV10115v1	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV10225PMIR	Arecont Vision	1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV10255AMIR	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV1115v1	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					
Arecont AV1125DNv1x	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					
Arecont AV1125IRv1x	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					
Arecont AV1145DN-3310-D	Arecont Vision	640x512					
Arecont AV1145DN-3310-D-LG	Arecont Vision	640x512					
Arecont AV1145DN-3310-W	Arecont Vision	640x512					
Arecont AV12176DN-08	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV12176DN-28	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV12176DN-NL	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV12186DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV1225PMIR	Arecont Vision	1280x1024 (11:4)					
Arecont AV12366DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV1245PM-D	Arecont Vision	1280x1024 (11:4)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV1245PM-D-LG	Arecont Vision	1280x1024 (11:4)					
Arecont AV1245PM-W	Arecont Vision	1280x1024 (11:4)					
Arecont AV1255AM	Arecont Vision	640x480 (4:3), 1280x720 (16:9), 1280x1024 (11:4)					
Arecont AV1300	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 4CIF (704x480), 352x288, 704x570					
Arecont AV1305	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 4CIF (704x480), 352x288, 704x570					
Arecont AV1310	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 4CIF (704x480), 352x288, 704x570					
Arecont AV1355	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 4CIF (704x480), 352x288, 704x570					
Arecont AV1455DN-F	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV1455DN-S	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV20175DN-08	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV20175DN-28	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV20175DN-NL	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 704x570					
Arecont AV20185DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV20185DN-HB	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV20365DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV20365DN-HB	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV2100	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV2105	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV2110	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV2115v1	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV2116DNv1	Arecont Vision	1920x1080 (16:9), 960x540 (16:9)					
Arecont AV2125DNv1x	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 352x288					
Arecont AV2125IRv1x	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 352x288					
Arecont AV2145DN-3310-D	Arecont Vision	960x540 (16:9)					
Arecont AV2145DN-3310-D-LG	Arecont Vision	960x540 (16:9)					
Arecont AV2145DN-3310-W	Arecont Vision	960x540 (16:9)					
Arecont AV2146DN-3310-D	Arecont Vision	960x540 (16:9)					
Arecont AV2146DN-3310-D-LG	Arecont Vision	960x540 (16:9)					
Arecont AV2146DN-3310-W	Arecont Vision	960x540 (16:9)					
Arecont AV2155	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV2225PMIR	Arecont Vision	1280x1024 (11:4)					
Arecont AV2226PMIR	Arecont Vision	1280x960 (4:3)					
Arecont AV2245PM-D	Arecont Vision	1280x1024 (11:4)					
Arecont AV2245PM-D-LG	Arecont Vision	1280x1024 (11:4)					
Arecont AV2245PM-W	Arecont Vision	1280x1024 (11:4)					
Arecont AV2246PM-D	Arecont Vision	1280x1024 (11:4)					
Arecont AV2246PM-D-LG	Arecont Vision	1280x1024 (11:4)					
Arecont AV2246PM-W	Arecont Vision	1280x1024 (11:4)					
Arecont AV2255AM	Arecont Vision	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4)					
Arecont AV2256PM	Arecont Vision	640x480 (4:3), 1920x1080 (16:9), 1280x1024 (11:4)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV2455DN-F	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV2455DN-S	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV2456DN-F	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV2456DN-S	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV2805	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3100	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3105	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3110	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3115v1	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3116DNv1	Arecont Vision	1024x768 (4:3)					
Arecont AV3125DNv1x	Arecont Vision	1600x1200 (4:3), 1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV3125IRv1x	Arecont Vision	1600x1200 (4:3), 1920x1080 (16:9), 1280x1024 (11:4)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV3130	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3135	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3145DN-3310-D	Arecont Vision	1024x768 (4:3)					
Arecont AV3145DN-3310-W	Arecont Vision	1024x768 (4:3)					
Arecont AV3146DN-3310-D	Arecont Vision	1024x768 (4:3)					
Arecont AV3146DN-3310-D-LG	Arecont Vision	1024x768 (4:3)					
Arecont AV3146DN-3310-W	Arecont Vision	1024x768 (4:3)					
Arecont AV3155	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3225PMIR	Arecont Vision	1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV3226PMIR	Arecont Vision	1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV3245PM-D	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4)					
Arecont AV3245PM-D-LG	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4)					
Arecont AV3245PM-W	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4)					
Arecont AV3246PM-D	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 640x512					
Arecont AV3246PM-D-LG	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 640x512					
Arecont AV3246PM-W	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 640x512					
Arecont AV3255AM	Arecont Vision	640x480 (4:3), 1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV3256PM	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 640x512					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV3455DN-F	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3455DN-S	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV3456DN-F	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV3456DN-S	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 704x570					
Arecont AV40185DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV40185DN-HB	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5100	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5105	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5110	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV5115v1	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5125DNv1x	Arecont Vision	2048x1536 (4:3), 1600x1200 (4:3), 1920x1080 (16:9), 2560x1600 (16:10), 1280x1024 (11:4)					
Arecont AV5125IRv1x	Arecont Vision	2048x1536 (4:3), 1600x1200 (4:3), 1920x1080 (16:9), 2560x1600 (16:10), 1280x1024 (11:4)					
Arecont AV5145DN-3310-D	Arecont Vision	1296x972 (4:3)					
Arecont AV5145DN-3310-D-LG	Arecont Vision	1296x972 (4:3)					
Arecont AV5145DN-3310-W	Arecont Vision	1296x972 (4:3)					
Arecont AV5155	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5225PMIR	Arecont Vision	1920x1080 (16:9), 1280x1024 (11:4)					
Arecont AV5245PM-D	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 1296x972 (4:3)					
Arecont AV5245PM-D-LG	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 1296x972 (4:3)					
Arecont AV5245PM-W	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 960x540 (16:9), 1280x1024 (11:4), 1296x972 (4:3)					
Arecont AV5255AM	Arecont Vision	1024x768 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 850x540					
Arecont AV5455DN-F	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV5455DN-S	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV8185DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont AV8185DN-HB	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV8365DN	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont AV8365DN-HB	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4F-AV1115v1-3312	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					
Arecont D4F-AV2115v1-3312	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4F-AV3115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4F-AV5115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4S-AV1115v1-3312	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					
Arecont D4S-AV2115v1-3312	Arecont Vision	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4S-AV3115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4S-AV5115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4SO-AV1115v1-3312	Arecont Vision	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 352x288					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Arecont D4SO-AV2115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4SO-AV3115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont D4SO-AV5115v1-3312	Arecont Vision	1600x1200 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 4CIF (704x480), 352x288, 704x570					
Arecont Default	Arecont Vision						
Avigilon H3 MH	Avigilon	2048x1536 (4:3), CIF (352x240), 6144x1536, 8192x1536	✓	✓	✓		✓
Avigilon H4 ES	Avigilon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		✓
Avigilon H4 Fisheye	Avigilon	2000x2000	✓	✓	✓		✓
Avigilon H4 HD	Avigilon	3840x2160 (16:9), 6720x4488, 7360x4128, 6016x4008, 6016x3384	✓	✓	✓		✓
Avigilon H4 HD Dome	Avigilon		✓	✓	✓		✓
Avigilon H4 IR PTZ	Avigilon	1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
Avigilon H4 License Plate Capture (LPC) Camera	Avigilon	2048x1536 (4:3)	✓	✓	✓		✓
Avigilon H4 Mini	Avigilon	384x216 (16:9)					
Avigilon H4 Mini Dome	Avigilon						
Avigilon H4 Multisensor	Avigilon		✓	✓	✓		✓
Avigilon H4 PTZ	Avigilon	1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓	✓	✓
Avigilon H4 SL	Avigilon	2048x1536 (4:3), 1920x1080 (16:9), 384x216 (16:9), 1280x1024 (11:4)					✓
Avigilon H4 Thermal	Avigilon	640x512, 320x256	✓	✓	✓		✓
Avigilon H4 Video Intercom	Avigilon	2048x1536 (4:3)	✓	✓	✓		✓
Avigilon HD Micro	Avigilon	1920x1080 (16:9), 1280x720 (16:9)					
Avigilon JPEG2000 HD	Avigilon	1600x1200 (4:3)	✓	✓	✓		
AvigilonH4 HD Bullet	Avigilon		✓	✓	✓		
AXIS 207	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)	✓				
AXIS 207MW	Axis Communications	1280x720 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4)	✓				



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS 207W	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)	✓				
AXIS 209FD	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)					
AXIS 209FD-R	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)					
AXIS 209MFD	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 1024x576 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), D1 (720x576)					
AXIS 209MFD-R	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 1024x576 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), D1 (720x576)					
AXIS 210	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 210A	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 211	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 211A	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 211M	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 160x90 (16:9), 1280x1024 (11:4)					
AXIS 211W	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)					
AXIS 212 PTZ	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)	✓	✓	✓	✓	
AXIS 212 PTZ-V	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)	✓	✓	✓	✓	
AXIS 213 PTZ	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 214 PTZ	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144	✓	✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS 215 PTZ	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 215 PTZ-E	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 216FD	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)					
AXIS 216FD-V	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3)					
AXIS 216MFD	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 1024x576 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), D1 (720x576)					
AXIS 216MFD-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 1024x576 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), D1 (720x576)					
AXIS 221	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 223M	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 225FD	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS 231D+	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 232D+	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 233D	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS 241Q (Encoder)	Axis Communications	D1 (720x576)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS A8105-E - Custom	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓	✓	
AXIS D101-A XF P3807	Axis Communications						✓
AXIS D201-S XPT Q6055	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 320x180 (16:9)				✓	
Axis Default	Axis Communications						
AXIS ExCam XF M3016	Axis Communications	320x240 (4:3), 640x360 (16:9), 2304x1296, 2016x1512					✓
AXIS ExCam XF P1367	Axis Communications	160x90 (16:9), 3072x1728					✓
AXIS ExCam XF Q1645	Axis Communications	1920x1080 (16:9), 320x180 (16:9)				✓	✓
AXIS ExCam XF Q1785	Axis Communications	160x120 (4:3), 1920x1080 (16:9)				✓	✓
AXIS ExCam XPT Q6075	Axis Communications	1920x1080 (16:9), 320x180 (16:9)				✓	✓
AXIS F1004	Axis Communications	1280x720 (16:9)					
AXIS F1004 Bullet	Axis Communications						
AXIS F1004 Pinhole	Axis Communications						
AXIS F1005-E	Axis Communications	1920x1080 (16:9), 1920x1200 (16:10)					
AXIS F1015	Axis Communications	1920x1080 (16:9), 1920x1200 (16:10)					
AXIS F101-A XF P1367	Axis Communications	3072x1728			✓		✓
AXIS F101-A XF Q1785	Axis Communications	160x120 (4:3), 1920x1080 (16:9)				✓	✓
AXIS F1025	Axis Communications	1920x1080 (16:9), 1920x1200 (16:10)					
AXIS F1035-E	Axis Communications	1920x1080 (16:9), 1920x1200 (16:10)					
AXIS F34	Axis Communications	1920x1080 (16:9), 1280x720 (16:9)					✓
AXIS F4005	Axis Communications	1920x1080 (16:9), 1920x1200 (16:10)					
AXIS F4005-E	Axis Communications	1920x1080 (16:9)					
AXIS F41	Axis Communications	1280x720 (16:9), 1920x1200 (16:10)	✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS F44	Axis Communications	1280x720 (16:9), 1920x1200 (16:10)	✓	✓			✓
AXIS F8804	Axis Communications	1280x720 (16:9)					
AXIS FA1080-E	Axis Communications						
AXIS FA1105	Axis Communications	1920x1080 (16:9)					
AXIS FA1125	Axis Communications	1920x1080 (16:9)					
AXIS FA3105-L	Axis Communications						
AXIS FA4090-E	Axis Communications						
AXIS FA4115	Axis Communications	1920x1080 (16:9)					
AXIS FA54	Axis Communications	1920x1080 (16:9)	✓	✓			✓
AXIS M1004-W	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)			✓		
AXIS M1011	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 176x144					
AXIS M1011-W	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 176x144					
AXIS M1013	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 640x360 (16:9), 640x400 (16:10), CIF (352x240)					
AXIS M1014	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)					
AXIS M1025	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 1024x640 (16:10), 640x400 (16:10), 1280x1024 (11:4), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
AXIS M1031-W	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 176x144					
AXIS M1033-W	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 640x360 (16:9), 640x400 (16:10), 380x270	✓	✓	✓		
AXIS M1034-W	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M1045-LW	Axis Communications	1920x1080 (16:9)				✓	✓
AXIS M1054	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144, 380x270	✓	✓	✓		
AXIS M1065-L	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS M1065-LW	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS M1103	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M1104	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M1113	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M1113-E	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M1114	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M1114-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M1124	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS M1124-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M1125	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)			✓		
AXIS M1125-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)			✓		
AXIS M1134	Axis Communications			✓	✓	✓	✓
AXIS M1135	Axis Communications			✓	✓	✓	✓
AXIS M1135-E	Axis Communications			✓	✓	✓	✓
AXIS M1137	Axis Communications			✓	✓	✓	✓
AXIS M1137-E	Axis Communications			✓	✓	✓	✓
AXIS M1143-L	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 640x360 (16:9), 640x400 (16:10), CIF (352x240)			✓		
AXIS M1144-L	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M1145	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 1280x1024 (11:4), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144			✓		
AXIS M1145-L	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 1280x1024 (11:4), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144			✓		
AXIS M2014-E	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)			✓		
AXIS M2025-LE	Axis Communications	1920x1080 (16:9)					✓
AXIS M2026-LE	Axis Communications	2560x1440 (16:9)					✓
AXIS M2026-LE Mk II	Axis Communications	320x240 (4:3), 2688x1520				✓	✓
AXIS M3004-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)					
AXIS M3005-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 1280x1024 (11:4), CIF (352x240)					
AXIS M3006-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M3007-P	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)					
AXIS M3007-PV	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1440 (4:3)					
AXIS M3011	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS M3014	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10)					
AXIS M3015	Axis Communications					✓	✓
AXIS M3016	Axis Communications					✓	✓
AXIS M3024-LVE	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 1280x800 (16:10), 1024x640 (16:10), 640x400 (16:10), CIF (352x240)			✓		
AXIS M3025-VE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 1280x1024 (11:4), CIF (352x240)			✓		
AXIS M3026-VE	Axis Communications	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M3027-PVE	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1600x600 (8:3), 1280x480 (8:3), 960x360 (8:3), 640x240 (8:3), 480x180 (8:3), 320x120 (8:3), 1920x1440 (4:3), 192x72 (8:3), 384x144 (8:3), 768x288 (8:3), 1920x720 (8:3)			✓		
AXIS M3037-PVE	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1600x600 (8:3), 1280x480 (8:3), 960x360 (8:3), 640x240 (8:3), 480x180 (8:3), 320x120 (8:3), 1920x1440 (4:3), 192x72 (8:3), 384x144 (8:3), 768x288 (8:3), 1920x720 (8:3)	✓	✓	✓		
AXIS M3044-V	Axis Communications	640x480 (4:3)					
AXIS M3044-WV	Axis Communications	1280x720 (16:9)					✓
AXIS M3045-V	Axis Communications	640x480 (4:3)					
AXIS M3045-WV	Axis Communications	1920x1080 (16:9)					✓
AXIS M3046-V	Axis Communications	640x480 (4:3)					
AXIS M3047-P	Axis Communications	2048x2048	✓	✓	✓	✓	✓
AXIS M3048-P	Axis Communications	2880x2880				✓	✓
AXIS M3057-PLVE	Axis Communications		✓	✓	✓	✓	✓
AXIS M3058-PLVE	Axis Communications					✓	✓
AXIS M3064-V	Axis Communications		✓	✓		✓	✓
AXIS M3065-V	Axis Communications		✓	✓		✓	✓
AXIS M3066-V	Axis Communications		✓	✓		✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M3067-P	Axis Communications	2560x1920 (4:3), 256x192 (4:3), 2560x1440 (16:9), 256x144 (16:9), 1920x1440 (4:3), 192x72 (8:3), 160x160, 2368x1184, 2016x2016	✓	✓		✓	✓
AXIS M3068-P	Axis Communications	2048x1536 (4:3), 2560x1920 (4:3), 384x288 (4:3), 3840x2160 (16:9), 256x144 (16:9), 192x72 (8:3), 2880x2880, 160x160, 3584x2688, 3200x1600	✓	✓		✓	✓
AXIS M3075-V	Axis Communications			✓		✓	✓
AXIS M3104-L	Axis Communications	1280x720 (16:9)				✓	
AXIS M3104-LVE	Axis Communications	1280x720 (16:9)				✓	
AXIS M3105-L	Axis Communications	1920x1080 (16:9)				✓	
AXIS M3105-LVE	Axis Communications	1920x1080 (16:9)				✓	
AXIS M3106-L	Axis Communications	2688x1520					✓
AXIS M3106-LVE	Axis Communications	2688x1520					✓
AXIS M3113-R	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3113-VE	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3114-R	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M3114-VE	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3115-LVE	Axis Communications	1920x1080 (16:9), 160x90 (16:9)	✓	✓		✓	✓
AXIS M3115-LVE	Axis Communications		✓	✓		✓	✓
AXIS M3116-LVE	Axis Communications	320x240 (4:3), 2688x1512	✓	✓		✓	✓
AXIS M3116-LVE	Axis Communications		✓	✓		✓	✓
AXIS M3203	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3203-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3204	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3204-V	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS M3205-LVE	Axis Communications	320x240 (4:3), 1920x1080 (16:9)	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS M3205-LVE	Axis Communications		✓	✓	✓	✓	✓
AXIS M3206-LVE	Axis Communications	320x240 (4:3), 2304x1728	✓	✓	✓	✓	✓
AXIS M3206-LVE	Axis Communications		✓	✓		✓	✓
AXIS M4206-LV	Axis Communications					✓	✓
AXIS M4206-V	Axis Communications					✓	✓
AXIS M5013	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS M5013-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS M5014	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS M5014-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS M5054	Axis Communications			✓		✓	✓
AXIS M5055	Axis Communications			✓		✓	✓
AXIS M5065	Axis Communications			✓		✓	✓
AXIS M5525-E	Axis Communications	1920x1080 (16:9), 320x180 (16:9)	✓	✓	✓	✓	✓
AXIS M5525-E	Axis Communications		✓	✓	✓	✓	✓
AXIS M7001 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)					
AXIS M7011 (Encoder)	Axis Communications	D1 (720x480), QCIF (176x120), D1 (720x576), 176x144				✓	✓
AXIS M7014 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)					
AXIS M7016 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)			✓		
AXIS M7104 (Encoder)	Axis Communications	D1 (720x480), QCIF (176x120), D1 (720x576), 176x144	✓	✓	✓	✓	✓
AXIS P1204	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)			✓		
AXIS P1214	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)			✓		
AXIS P1214-E	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1224-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288			✓		
AXIS P1244	Axis Communications	1280x720 (16:9)					✓
AXIS P1245	Axis Communications	1920x1080 (16:9)					✓
AXIS P1254	Axis Communications	1280x720 (16:9)				✓	
AXIS P1264	Axis Communications	1280x720 (16:9)					✓
AXIS P1265	Axis Communications	1920x1080 (16:9)					✓
AXIS P1275	Axis Communications	1920x1080 (16:9)					✓
AXIS P1280-E	Axis Communications						✓
AXIS P1290-E	Axis Communications						✓
AXIS P1311	Axis Communications	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3)					
AXIS P1343	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P1343-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1344	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P1344-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P1346	Axis Communications	2048x1536 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 176x144					
AXIS P1346-E	Axis Communications	2048x1536 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 176x144					
AXIS P1347	Axis Communications	2048x1536 (4:3), 2560x1920 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 2560x1600 (16:10), 1920x1200 (16:10), 1280x1024 (11:4), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1347-E	Axis Communications	2048x1536 (4:3), 2560x1920 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 2560x1600 (16:10), 1920x1200 (16:10), 1280x1024 (11:4), 176x144					
AXIS P1353	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144	✓	✓	✓		
AXIS P1353-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 176x144	✓	✓	✓		
AXIS P1354	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 176x144	✓	✓	✓		
AXIS P1354-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 176x144	✓	✓	✓		
AXIS P1355	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS P1355-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1357	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144	✓	✓	✓		
AXIS P1357-E	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 176x144	✓	✓	✓		
AXIS P1364	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS P1364-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1365	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS P1365-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS P1367	Axis Communications		✓	✓	✓	✓	✓
AXIS P1367-E	Axis Communications		✓	✓	✓	✓	✓
AXIS P1368-E	Axis Communications		✓	✓	✓	✓	✓
AXIS P1375	Axis Communications		✓	✓	✓	✓	✓
AXIS P1375-E	Axis Communications		✓	✓	✓	✓	✓
AXIS P1377	Axis Communications		✓	✓	✓	✓	✓
AXIS P1377-LE	Axis Communications		✓	✓	✓	✓	✓
AXIS P1378	Axis Communications		✓	✓	✓	✓	✓
AXIS P1378-LE	Axis Communications		✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1405-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P1405-LE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P1425-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P1425-LE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1427-E	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1280x1024 (11:4), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					✓
AXIS P1427-LE	Axis Communications	2592x1944 (4:3), 2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1280x1024 (11:4), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					✓
AXIS P1428-E	Axis Communications	2592x1944 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 384x288 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), CIF (352x240)				✓	✓
AXIS P1435-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P1435-LE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144			✓		
AXIS P1445-LE	Axis Communications			✓	✓	✓	✓
AXIS P1445-LE-3	Axis Communications			✓	✓	✓	✓
AXIS P1447-LE	Axis Communications			✓	✓	✓	✓
AXIS P1448-LE	Axis Communications	3840x2160 (16:9), 160x90 (16:9)		✓	✓	✓	✓
AXIS P3214-V	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P3214-VE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3215-V	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P3215-VE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS P3224-LV	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3224-LVE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS P3224-V	Axis Communications	1920x1080 (16:9)				✓	
AXIS P3225-LV	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3225-LVE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS P3225-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	✓
AXIS P3225-VE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	✓
AXIS P3227-LV	Axis Communications	3072x1728				✓	✓
AXIS P3227-LVE	Axis Communications	3072x1728				✓	✓
AXIS P3228-LV	Axis Communications	3840x2160 (16:9)				✓	✓
AXIS P3228-LVE	Axis Communications	3840x2160 (16:9)				✓	✓
AXIS P3245-LV	Axis Communications		✓	✓		✓	✓
AXIS P3245-LVE	Axis Communications		✓	✓	✓	✓	✓
AXIS P3245-V	Axis Communications		✓	✓		✓	✓
AXIS P3245-VE	Axis Communications		✓	✓		✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3301	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 176x144	✓	✓	✓		
AXIS P3301-V	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 176x144	✓	✓	✓		
AXIS P3304	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS P3304-V	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS P3343	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓			
AXIS P3343-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓			
AXIS P3343-VE	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓			



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3344	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P3344-V	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P3344-VE	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P3346	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144	✓	✓	✓		
AXIS P3346-V	Axis Communications	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 176x144	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3346-VE	Axis Communications	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x1024 (11:4), 176x144	✓	✓	✓		
AXIS P3353	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144					
AXIS P3354	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144					
AXIS P3363-V	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144	✓	✓			
AXIS P3363-VE	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 176x144	✓	✓			
AXIS P3364-LV	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144	✓	✓			
AXIS P3364-LVE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144	✓	✓			



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3364-LVE-Copy	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144	✓	✓			
AXIS P3364-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144	✓	✓	✓		
AXIS P3364-VE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 176x144	✓	✓			
AXIS P3365-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓	✓	✓		
AXIS P3365-VE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9)	✓	✓	✓		
AXIS P3367-V	Axis Communications	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 800x480, 176x144, 2592x1458 (16:9)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3367-VE	Axis Communications	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x1024 (11:4), 176x144, 2592x1458 (16:9)	✓	✓	✓		
AXIS P3374-LV	Axis Communications	1280x720 (16:9)	✓	✓		✓	
AXIS P3374-V	Axis Communications	1280x720 (16:9)	✓	✓		✓	
AXIS P3375-LV	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS P3375-LVE	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS P3375-V	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS P3375-VE	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS P3384-V	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS P3384-VE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS P3707-PE	Axis Communications	1920x1080 (16:9)				✓	
AXIS P3717-PLE	Axis Communications		✓	✓			✓
AXIS P3719-PLE	Axis Communications		✓	✓			✓
AXIS P3807-PVE	Axis Communications		✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3904-R	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS P3904-R Mk II	Axis Communications	1280x720 (16:9), 160x90 (16:9)				✓	✓
AXIS P3905-R	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS P3905-R Mk II	Axis Communications	1920x1080 (16:9), 160x90 (16:9)				✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P3905-RE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					
AXIS P3915-R	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS P3915-R Mk	Axis Communications	1920x1080 (16:9)	✓	✓		✓	
AXIS P3915-R Mk II	Axis Communications	1920x1080 (16:9), 160x90 (16:9)	✓	✓	✓	✓	✓
AXIS P3925-R	Axis Communications	1280x960 (4:3), 160x120 (4:3), 1920x1080 (16:9), 160x90 (16:9)	✓	✓		✓	✓
AXIS P3935-LR	Axis Communications	1280x960 (4:3), 160x120 (4:3), 1920x1080 (16:9), 160x90 (16:9)	✓	✓		✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P5414-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓	✓	
AXIS P5415-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓	✓	
AXIS P5512	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144	✓	✓	✓	✓	
AXIS P5512-E	Axis Communications	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P5514	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓		✓	
AXIS P5514-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)				✓	
AXIS P5515	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)	✓	✓		✓	
AXIS P5515-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P5522	Axis Communications	D1 (720x480), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 176x144	✓	✓	✓	✓	
AXIS P5522-E	Axis Communications	D1 (720x480), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS P5532	Axis Communications	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3), 640x240 (8:3), D1 (720x480), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144	✓	✓	✓	✓	
AXIS P5532-E	Axis Communications	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3), 640x240 (8:3), D1 (720x480), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS P5534	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓	✓	
AXIS P5534-E	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS P5544	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓	✓	
AXIS P5624-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P5635-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓	✓	
AXIS P5654-E	Axis Communications					✓	✓
AXIS P5655-E	Axis Communications	1920x1080 (16:9), 320x180 (16:9)	✓	✓	✓	✓	✓
AXIS P5655-E	Axis Communications		✓	✓	✓	✓	✓
AXIS P7214 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS P7216 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS P7224 Blade (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS P7304 (Encoder)	Axis Communications	D1 (720x480), QCIF (176x120), D1 (720x576), 176x144	✓	✓	✓	✓	✓
AXIS P8513	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 800x500 (16:10), 640x400 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					
AXIS P8514	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS P8524	Axis Communications	1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288			✓		
AXIS P8535	Axis Communications	640x480 (4:3), 1920x1200 (16:10)			✓		
AXIS P8804	Axis Communications	1280x720 (16:9)					✓
AXIS P9106-V	Axis Communications				✓	✓	✓
AXIS Q1602	Axis Communications	768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), D1 (720x576)	✓	✓	✓		
AXIS Q1602-E	Axis Communications	768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), D1 (720x576)	✓	✓	✓		
AXIS Q1604	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		
AXIS Q1604-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 176x144	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1614	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288	✓	✓	✓		
AXIS Q1614-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288	✓	✓	✓		
AXIS Q1615	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		
AXIS Q1615 Mk II	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 160x90 (16:9)	✓	✓		✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1615-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		
AXIS Q1615-E Mk II	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 160x90 (16:9)	✓	✓		✓	✓
AXIS Q1635	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1635-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		
AXIS Q1645	Axis Communications		✓	✓	✓	✓	✓
AXIS Q1645-LE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q1647	Axis Communications		✓	✓	✓	✓	✓
AXIS Q1647-LE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q1659	Axis Communications		✓	✓	✓	✓	✓
AXIS Q1700-LE	Axis Communications			✓	✓	✓	✓
AXIS Q1755	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓		
AXIS Q1755-E	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓		
AXIS Q1765-LE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 160x100 (16:10), 176x144	✓	✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1765-LE PT Mount	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS Q1775	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		
AXIS Q1775-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144, 854x480 (16:9)	✓	✓	✓		
AXIS Q1785-LE	Axis Communications			✓	✓		✓
AXIS Q1786-LE	Axis Communications			✓	✓		✓
AXIS Q1798-LE	Axis Communications			✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1910	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1910-E	Axis Communications	640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1921	Axis Communications	768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1921-E	Axis Communications	768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1922	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1922-E	Axis Communications	800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), D1 (720x576), 176x144, 640x512, 320x256, 160x128	✓	✓			
AXIS Q1931-E	Axis Communications	768x576 (4:3), 384x288 (4:3), 192x144 (4:3), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288	✓	✓	✓		
AXIS Q1931-E PT Mount	Axis Communications	768x576 (4:3), 384x288 (4:3), 192x144 (4:3), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS Q1932-E	Axis Communications	800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q1932-E PT Mount	Axis Communications	800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288					
AXIS Q1941-E	Axis Communications	640x480 (4:3)	✓	✓	✓		
AXIS Q1941-E PT Mount	Axis Communications	384x288 (4:3)					✓
AXIS Q1942-E	Axis Communications	640x480 (4:3)	✓	✓	✓		✓
AXIS Q1942-E PT Mount	Axis Communications	640x480 (4:3)					✓
AXIS Q2901-E	Axis Communications	336x256	✓	✓	✓		✓
AXIS Q2901-E PT Mount	Axis Communications	336x256				✓	✓
AXIS Q3504-V	Axis Communications	1280x720 (16:9)	✓	✓	✓	✓	
AXIS Q3504-VE	Axis Communications	1280x720 (16:9)	✓	✓	✓	✓	
AXIS Q3505-SVE	Axis Communications	1920x1080 (16:9)	✓	✓		✓	✓
AXIS Q3505-SVE Mk	Axis Communications	1920x1080 (16:9)	✓	✓	✓	✓	
AXIS Q3505-V	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS Q3505-V Mk	Axis Communications	1920x1080 (16:9)	✓	✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q3505-VE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1920x1200 (16:10), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)	✓	✓	✓		
AXIS Q3515-LV	Axis Communications		✓	✓	✓	✓	✓
AXIS Q3515-LVE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q3517-LV	Axis Communications	3072x1728	✓	✓		✓	✓
AXIS Q3517-LVE	Axis Communications	3072x1728	✓	✓		✓	✓
AXIS Q3517-SLVE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q3518-LVE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q3527-LVE	Axis Communications		✓	✓	✓	✓	✓
AXIS Q3615-VE	Axis Communications	1920x1200 (16:10)				✓	
AXIS Q3617-VE	Axis Communications	3072x2048				✓	
AXIS Q3708-PVE	Axis Communications	2560x1920 (4:3)				✓	
AXIS Q3709-PVE	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 3840x2880 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q6000-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 640x400 (16:10), 1600x600 (8:3), 1280x480 (8:3), 960x360 (8:3), 640x240 (8:3), 480x180 (8:3), 320x120 (8:3), CIF (352x240), QCIF (176x120), 1920x1440 (4:3), 1920x720 (8:3)				✓	
AXIS Q6010-E	Axis Communications	2592x1944 (4:3), 320x240 (4:3)				✓	✓
AXIS Q6032	Axis Communications	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3), 640x240 (8:3), D1 (720x480), Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144	✓	✓		✓	
AXIS Q6032-C	Axis Communications	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 192x144 (4:3), 160x120 (4:3), 640x240 (8:3), D1 (720x480), Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS Q6032-E	Axis Communications	Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144				✓	
AXIS Q6034	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS Q6034-C	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6034-E	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6035	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓		✓	
AXIS Q6035-C	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6035-E	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q6035-E-Copy	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6042	Axis Communications	Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), QCIF (176x120), 176x144	✓	✓	✓	✓	
AXIS Q6042-C	Axis Communications	Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), QCIF (176x120), 176x144			✓	✓	
AXIS Q6042-E	Axis Communications	Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), QCIF (176x120), 176x144				✓	
AXIS Q6042-S	Axis Communications	160x120 (4:3), D1 (720x480), Extended D1 (752x480), Extended D1 (736x576), 4CIF (704x480), 2CIF (704x240), CIF (352x240), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144			✓	✓	
AXIS Q6044	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓	✓	
AXIS Q6044-C	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)			✓	✓	
AXIS Q6044-E	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6044-S	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)			✓	✓	
AXIS Q6045	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)	✓	✓	✓	✓	
AXIS Q6045 MkII	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)	✓	✓	✓	✓	
AXIS Q6045-C	Axis Communications	1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)			✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q6045-C MkII	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)			✓	✓	
AXIS Q6045-E	Axis Communications	1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 480x270 (16:9), 320x180 (16:9)				✓	
AXIS Q6045-E MkII	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	
AXIS Q6045-S MkII	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)			✓	✓	
AXIS Q6055-C	Axis Communications				✓	✓	✓
AXIS Q6074	Axis Communications		✓	✓	✓	✓	✓
AXIS Q6074-E	Axis Communications					✓	✓
AXIS Q6075	Axis Communications		✓	✓	✓	✓	✓
AXIS Q6075-E	Axis Communications				✓	✓	✓
AXIS Q6075-S	Axis Communications	1920x1080 (16:9), 320x180 (16:9)			✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q6114-E	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	
AXIS Q6115-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)				✓	
AXIS Q6125-LE	Axis Communications					✓	✓
AXIS Q6128-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9)				✓	
AXIS Q6154-E	Axis Communications				✓	✓	✓
AXIS Q6155-E	Axis Communications					✓	✓
AXIS Q6215-LE	Axis Communications					✓	✓
AXIS Q7401 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS Q7404 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS Q7406 Blade (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)			✓		
AXIS Q7411 (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS Q7414 (Encoder)	Axis Communications	D1 (720x480), QCIF (176x120), D1 (720x576), 176x144	✓	✓	✓	✓	
AXIS Q7414 Blade (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS Q7424-R (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)	✓	✓	✓		
AXIS Q7424-R Mk II (Encoder)	Axis Communications	QCIF (176x120), D1 (720x576), 1536x1152	✓	✓	✓	✓	✓
AXIS Q7436 (Encoder)	Axis Communications	QCIF (176x120), D1 (720x576)			✓	✓	
AXIS Q7436 Blade (Encoder)	Axis Communications	D1 (720x480), D1 (720x576)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q8414-LVS	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 352x288, 176x144					
AXIS Q8631-E	Axis Communications	768x576 (4:3), 384x288 (4:3), 192x144 (4:3), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288					
AXIS Q8632-E	Axis Communications	768x576 (4:3), 384x288 (4:3), 192x144 (4:3), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288					
AXIS Q8641-E PT	Axis Communications	384x288 (4:3)			✓	✓	✓
AXIS Q8642-E	Axis Communications	1920x1080 (16:9), 320x180 (16:9)			✓	✓	✓
AXIS Q8642-E PT	Axis Communications	640x480 (4:3)			✓	✓	✓
AXIS Q8665-E	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD	
AXIS Q8665-LE	Axis Communications	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 240x180 (4:3), 192x144 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), D1 (720x576), 704x576 (PAL), 704x288 (PAL), 352x288, 854x480 (16:9)					✓	
AXIS Q8685-E	Axis Communications	1920x1080 (16:9), 320x180 (16:9)			✓	✓	✓	
AXIS Q8685-E	Axis Communications				✓	✓	✓	
AXIS Q8685-E PTZ	Axis Communications				✓	✓	✓	
AXIS Q8685-LE	Axis Communications	1920x1080 (16:9), 320x180 (16:9)			✓	✓	✓	
AXIS Q8685-LE	Axis Communications				✓	✓	✓	
AXIS Q8685-LE PTZ	Axis Communications				✓	✓	✓	
AXIS Q8721-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)						
AXIS Q8722-E	Axis Communications	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1280x800 (16:10), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)						
AXIS Q8741-E	Axis Communications	1920x1080 (16:9)			✓	✓	✓	
AXIS Q8741-LE	Axis Communications	1920x1080 (16:9)			✓	✓	✓	
AXIS Q8742-E	Axis Communications	1920x1080 (16:9)			✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
AXIS Q8742-LE	Axis Communications	1920x1080 (16:9)			✓	✓	✓
AXIS Q9216-SLV	Axis Communications		✓	✓		✓	✓
AXIS S1116 MT (Recorder)	Axis Communications	1920x1080 (16:9)	✓	✓			✓
AXIS S1116 Racked (Recorder)	Axis Communications	1920x1080 (16:9)	✓	✓			✓
AXIS S1148 (Recorder)	Axis Communications	1920x1080 (16:9)					✓
AXIS S2208 (Recorder)	Axis Communications	1920x1080 (16:9), 2880x1200	✓	✓	✓		✓
AXIS S2212 (Recorder)	Axis Communications	1920x1080 (16:9), 2880x1200	✓	✓	✓		✓
AXIS S2216 (Recorder)	Axis Communications	1920x1080 (16:9), 2880x1200	✓	✓	✓		✓
AXIS S2224 (Recorder)	Axis Communications	1920x1080 (16:9), 2880x1200	✓	✓	✓		✓
AXIS S3008 (Recorder)	Axis Communications	1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
AXIS V5914	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)	✓	✓		✓	
AXIS V5915	Axis Communications	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3), 240x180 (4:3), 160x120 (4:3), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 480x270 (16:9), 320x180 (16:9), 160x90 (16:9), 1024x640 (16:10), 800x500 (16:10), 640x400 (16:10), 480x300 (16:10), 320x200 (16:10), 160x100 (16:10), 854x480 (16:9)	✓	✓		✓	
AXIS XF40-Q1765	Axis Communications	640x480 (4:3)					
AXIS XF40-Q2901	Axis Communications	D1 (720x576), 336x256					✓
AXIS XF60-Q1765	Axis Communications	1920x1080 (16:9), 160x90 (16:9)					✓
AXIS XF60-Q2901	Axis Communications	D1 (720x576), 336x256					✓
AXIS XP40-Q1765	Axis Communications	640x480 (4:3)				✓	
AXIS XP40-Q1942	Axis Communications	800x600 (4:3), 640x480 (4:3)					✓
AXIS S1132 (Recorder)	Axis Communications	1920x1080 (16:9)					✓
Bosch AUTODOME 7000 HD	Bosch	1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), 400x720				✓	
Bosch AUTODOME 7000 IP	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Bosch AUTODOME 800 Series HD PTZ	Bosch	640x480 (4:3), 320x240 (4:3), 704x576 (PAL), 352x288				✓	
Bosch AUTODOME Easy II IP	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288				✓	
Bosch AUTODOME Junior HD Fixed	Bosch	1920x1080 (16:9), 1280x720 (16:9), 854x480 (16:9), 432x240					
Bosch AUTODOME Junior HD PTZ	Bosch	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288				✓	
Bosch Day/Night Infrared IP Bullet Camera	Bosch	640x480 (4:3), 320x240 (4:3)					
Bosch Default	Bosch						
Bosch DINION HD 1080p Day/Night	Bosch	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch DINION HD 1080p HDR	Bosch	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch DINION starlight HD 720p60	Bosch	1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch FLEXIDOME HD 1080p HDR RD	Bosch	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch FLEXIDOME HD 1080p HDR VR	Bosch	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch FLEXIDOME HD 1080p RD	Bosch	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch FLEXIDOME HD 1080p VR	Bosch	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch FLEXIDOME Indoor 5000 IP	Bosch	1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9)					
Bosch FLEXIDOME Micro 2000 IP	Bosch	1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Bosch FLEXIDOME Micro 5000 IP	Bosch	1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 352x288, 854x480 (16:9), 432x240					
Bosch FLEXIDOME Outdoor 5000 IP	Bosch	1920x1080 (16:9), 1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9)					
Bosch FLEXIDOME Starlight HD 720p60 RD	Bosch	1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch FLEXIDOME Starlight HD 720p60 VR	Bosch	1280x720 (16:9), 768x432 (16:9), 512x288 (16:9), 256x144 (16:9), 4CIF (704x480), CIF (352x240), 400x720, 854x480 (16:9), 432x240					
Bosch HD 1080p and 5M Vandal-Resistant MicroDome	Bosch	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch HD 1080p Indoor MicroDome	Bosch	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch HD 1080p Vandal-Resistant MicroDome IVM	Bosch	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch HD 720p Day/Night Infrared IP Bullet Camera	Bosch	1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch HD 720p Day/Night Infrared IP Dome	Bosch	1280x720 (16:9), 4CIF (704x480), CIF (352x240), 854x480 (16:9), 432x240					
Bosch HD 720p IP Camera 200 Series	Bosch	1280x720 (16:9), 4CIF (704x480), CIF (352x240)					
Bosch HD 720p IP Dome Camera 200 Series	Bosch	1280x720 (16:9), 4CIF (704x480), CIF (352x240)					
Bosch HD 720p Wireless IP Camera 200 Series	Bosch	1280x720 (16:9), 4CIF (704x480), CIF (352x240)					
Bosch Infrared IP Dome Camera 200 Series	Bosch	640x480 (4:3), 320x240 (4:3)					
Bosch IP Camera 200 Series	Bosch	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)					
Bosch IP Dome Camera 200 Series	Bosch	640x480 (4:3), 320x240 (4:3)					
Bosch NBC-455 Dinion IP Camera	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
Bosch NBN-498 Dinion2X Day/Night IP Camera	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
Bosch NDC-455 FlexiDome IP Camera	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
Bosch NDN-498 FlexiDome2X Day/Night IP Camera	Bosch	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288					
Bosch VideoJet X20/X40 XF E H.264 Video (Encoder)	Bosch	640x480 (4:3)					
Bosch VIP X1 Single-channel Video (Encoder)	Bosch	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Bosch VIP X1 XF E Single-channel Video (Encoder)	Bosch	640x480 (4:3)					
Bosch VIP X1 XF Single-channel Video (Encoder)	Bosch	640x480 (4:3)					
Bosch VIP X16 XF E Video (Encoder)	Bosch	640x480 (4:3)					
Bosch VIP X2 Dual-channel Video (Encoder)	Bosch	640x480 (4:3)					
Bosch Wireless IP Camera 200 Series	Bosch	640x480 (4:3), 320x240 (4:3)					
BST 2MHSI-33X	BST	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), QCIF (176x120), 704x576 (PAL), 352x288, 176x144	✓	✓		✓	✓
BST 3000MH-IR	BST	2048x1536 (4:3), 1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), QCIF (176x120), 704x576 (PAL), 352x288, 176x144	✓	✓		✓	✓
BST 9201BCIR	BST	1920x1080 (16:9), 1280x720 (16:9)	✓	✓		✓	✓
BST 9201DCIR	BST	1920x1080 (16:9), 1280x720 (16:9)	✓	✓		✓	✓
BST BF904IR25	BST	2560x1440 (16:9), 704x576 (PAL), 352x288	✓	✓		✓	✓
BST BT9102-MS	BST	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 704x576 (PAL)	✓	✓		✓	✓
BST BT9104IR30-M	BST	2560x1440 (16:9), 704x576 (PAL)	✓	✓		✓	✓
BST DF902IR25	BST	1920x1080 (16:9), 704x576 (PAL)		✓		✓	
BST DF904IR25	BST	2560x1440 (16:9), 704x576 (PAL)		✓		✓	
BST DT904IR30-M	BST	2560x1440 (16:9), 704x576 (PAL)	✓	✓		✓	✓
BST DT9102-MS	BST	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓		✓	✓
BST P9001-20X	BST	1280x960 (4:3), 704x576 (PAL)	✓	✓		✓	✓
BST PTZ360S	BST	1920x1080 (16:9)	✓	✓		✓	✓
Canon Default	Canon						
Canon VB-C300 PTZ	Canon	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)				✓	
Canon VB-C500D	Canon	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Canon VB-C500VD	Canon	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Canon VB-C60 PTZ	Canon	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)				✓	
Canon VB-H41 PTZ	Canon	320x240 (4:3), 1920x1080 (16:9), 960x540 (16:9), 480x270 (16:9)				✓	
Canon VB-H45	Canon	1920x1080 (16:9)	✓	✓	✓	✓	✓
Canon VB-H45/B	Canon		✓	✓	✓	✓	✓
Canon VB-H610D	Canon	320x240 (4:3), 1920x1080 (16:9), 960x540 (16:9), 480x270 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Canon VB-H610VE	Canon	320x240 (4:3), 1920x1080 (16:9), 960x540 (16:9), 480x270 (16:9)					
Canon VB-H651V	Canon		✓	✓	✓	✓	✓
Canon VB-H651VE	Canon		✓	✓	✓	✓	✓
Canon VB-H652LVE	Canon		✓	✓	✓	✓	✓
Canon VB-H710F	Canon	320x240 (4:3), 1920x1080 (16:9), 960x540 (16:9), 480x270 (16:9)					
Canon VB-H730F Mk II	Canon		✓	✓	✓	✓	✓
Canon VB-H751LE	Canon			✓	✓	✓	✓
Canon VB-H760VE	Canon		✓	✓	✓	✓	✓
Canon VB-H761LVE	Canon		✓	✓	✓	✓	✓
Canon VB-M40 PTZ	Canon	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)				✓	
Canon VB-M44	Canon	1280x720 (16:9)	✓	✓	✓	✓	✓
Canon VB-M44/B	Canon		✓	✓	✓	✓	✓
Canon VB-M44B	Canon	1280x960 (4:3)	✓	✓	✓	✓	✓
Canon VB-M50B	Canon		✓	✓	✓	✓	✓
Canon VB-M600D	Canon	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Canon VB-M600VE	Canon	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Canon VB-M700F	Canon	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Canon VB-M740E	Canon	1280x1024 (11:4)	✓	✓	✓	✓	✓
Canon VB-M741LE	Canon		✓	✓	✓	✓	✓
Canon VB-R12VE	Canon		✓	✓	✓	✓	✓
Canon VB-R13	Canon		✓	✓	✓	✓	✓
Canon VB-R13VE	Canon		✓	✓	✓	✓	✓
Canon VB-S30D Mk II	Canon			✓	✓	✓	✓
Canon VB-S30VE	Canon		✓	✓	✓	✓	✓
Canon VB-S31D Mk II	Canon			✓	✓		✓
Canon VB-S800D Mk II	Canon			✓	✓	✓	✓
Canon VB-S800VE	Canon		✓	✓	✓	✓	✓
Canon VB-S805D Mk II	Canon			✓	✓	✓	✓
Canon VB-S900F Mk II	Canon			✓	✓	✓	✓
Canon VB-S905F Mk II	Canon			✓	✓	✓	✓
Canon VB-S910F	Canon		✓		✓	✓	✓
CISCO 2611	Cisco	4CIF (704x480)	✓	✓	✓		
CISCO 3520	Cisco	4CIF (704x480)	✓	✓	✓		
CISCO 6400	Cisco	4CIF (704x480)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Cisco Default	Cisco						
Dahua 12203TNI	Dahua Technology	1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓		✓	
Dahua 1A203TNI	Dahua Technology		✓	✓		✓	✓
Dahua Default	Dahua Technology						
Dahua DH-IPC-HDBW4239R-ASE	Dahua Technology	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓		✓
Dahua DH-IPC-HFW4239TN-ASE	Dahua Technology	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4CIF (704x480), CIF (352x240)	✓	✓	✓		✓
Dahua DH-TPC-SD5300	Dahua Technology	800x600 (4:3)					
Dahua IPC-AW12W	Dahua Technology	800x600 (4:3)					
Dahua IPC-BF5300	Dahua Technology	800x600 (4:3)					
Dahua IPC-BF5300-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-BF5600	Dahua Technology	800x600 (4:3)					
Dahua IPC-BF5600-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-C10	Dahua Technology	800x600 (4:3)					
Dahua IPC-EB5400	Dahua Technology	800x600 (4:3)					
Dahua IPC-EB5400-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-EB5500	Dahua Technology	800x600 (4:3)					
Dahua IPC-EB5531	Dahua Technology			✓			✓
Dahua IPC-EBW81200	Dahua Technology	800x600 (4:3)					
Dahua IPC-EBW81230	Dahua Technology		✓	✓	✓		✓
Dahua IPC-EBW81242	Dahua Technology		✓	✓	✓		✓
Dahua IPC-EBW8600	Dahua Technology	800x600 (4:3)					
Dahua IPC-EBW8630	Dahua Technology		✓	✓	✓		✓
Dahua IPC-EBW8630-IVC	Dahua Technology		✓	✓	✓		✓
Dahua IPC-EW5531-AS	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HCBW8442	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HD1000C	Dahua Technology	800x600 (4:3)					
Dahua IPC-HD1000C-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HD1200C	Dahua Technology	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HD1200C-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HD4140X-3D	Dahua Technology			✓	✓		✓
Dahua IPC-HDB(W)5502-(DI)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDB(W)8281-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDB4100C	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDB4100F-PT	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDB4200F-PT	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDB4300C(-A)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDB4300F-PT	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDBW1000E(-S)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW1000E-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW1200E(-S)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW1200E-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW1320E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW2100R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW2200R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW2201R-ZS/VFS	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW2300R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW3241E-AS	Dahua Technology		✓	✓	✓		
Dahua IPC-HDBW3241E-S	Dahua Technology						
Dahua IPC-HDBW3441E-AS	Dahua Technology		✓	✓	✓		
Dahua IPC-HDBW3441E-S	Dahua Technology						✓
Dahua IPC-HDBW3541E-AS	Dahua Technology		✓	✓	✓		
Dahua IPC-HDBW3541E-S	Dahua Technology						
Dahua IPC-HDBW4120E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4120F(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4220E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4220F	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4221E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4221F(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4231F-E2-M/M12	Dahua Technology			✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HDBW4300E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4421E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4421F(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW4800E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW5121E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW5220E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW5220E-Z-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW5221E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW5231EN-ZE-HDMI	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW5241R-ASE-NI	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW5300/5302	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDBW5300/5302-DI	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDBW5421E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW71242H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW7442H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW7442H-Z4	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW7442H-Z4FR	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW7442H-ZFR	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW7842H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDBW81200E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW8231E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDBW8331E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDPW4100F-WPT	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDPW4120F-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDPW4200F-WPT	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDPW4220F-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDPW4221F-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW1000S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW1120S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW1200S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW1220S	Dahua Technology	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HDW1320S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW2239T-AS-LED-S2	Dahua Technology			✓			
Dahua IPC-HDW2439T-AS-LED-S2	Dahua Technology			✓			
Dahua IPC-HDW3549TM-AS-LED	Dahua Technology			✓			
Dahua IPC-HDW4120E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4120M	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4220E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4220M	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4221E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4221M	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4300C	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HDW4300S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4421E(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW4421M	Dahua Technology	800x600 (4:3)					
Dahua IPC-HDW5241H-AS-PV	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDW5442TM-AS-LED	Dahua Technology			✓			✓
Dahua IPC-HDW5541H-AS-PV	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDW8341X-3D-S2	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HDW8341X-BV-3D	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-HF5121E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF5221E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF5421E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF71242F	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HF7442F-FR	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HF7842F	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HF81200E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF8231E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF8281E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF8281E-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF8331E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HF8835F	Dahua Technology		✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HFW1000S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1000S-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1120S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1200S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1200S-W	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1220S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW1320S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW2100R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW2200R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW2201R-ZS/VFS	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW2230M-AS-LED	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW2230M-AS-LED-B	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW2239M-AS-LED-B-S2	Dahua Technology		✓	✓	✓		
Dahua IPC-HFW2239S-SA-LED-S2	Dahua Technology			✓			
Dahua IPC-HFW2300R-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW2439M-AS-LED-B-S2	Dahua Technology		✓	✓	✓		
Dahua IPC-HFW2439S-SA-LED-S2	Dahua Technology			✓			
Dahua IPC-HFW3549E-AS-LED	Dahua Technology		✓	✓	✓		
Dahua IPC-HFW4120B(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4120D(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4120E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4120S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4220B(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4220D(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4220E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4220S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4221B(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4221D(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4221E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4221S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4300E	Dahua Technology	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HFW4300S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4421B(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4421D(-AS)	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4421E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4421S	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW4800E	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5100-IRA	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HFW5121E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5200E-Z12	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5200-IRA	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HFW5220E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5221E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5221E-Z-V	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5241T-ASE-NI	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW5241T-AS-LED	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW5241T-AS-PV	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW5300C/5302C	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-HFW5300E-Z/VF	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5421E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5442T-ASE-NI	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW5442T-AS-LED	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW5502C	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW5541T-AS-PV	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW71242H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW7442H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW7442H-Z4	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW7442H-Z4FR	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW7442H-ZFR	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW7842H-Z	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW81200E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW8231E-Z	Dahua Technology	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua IPC-HFW8241X-3D	Dahua Technology		✓	✓	✓		✓
Dahua IPC-HFW8281E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HFW8331E-Z	Dahua Technology	800x600 (4:3)					
Dahua IPC-HUM8101	Dahua Technology	800x600 (4:3)					
Dahua IPC-HUM8231-L5	Dahua Technology	1920x1080 (16:9)					
Dahua IPC-HUM8431-L4	Dahua Technology						
Dahua IPC-HUM8431-L5	Dahua Technology						
Dahua IPC-K100/ K100A / K100W	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-K200/ 200A /200W	Dahua Technology	800x600 (4:3)					
Dahua IPC-KW10/12(W)	Dahua Technology	800x600 (4:3)	✓	✓			
Dahua IPC-KW100/ 100A /100W	Dahua Technology	800x600 (4:3)					
Dahua IPC-PDBW5831-B360	Dahua Technology		✓	✓	✓		✓
Dahua IPC-PDBW8800-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-PDBW8802-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-PFW83242-A180	Dahua Technology		✓	✓	✓		✓
Dahua IPC-PFW8601-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-PFW8800-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-PFW8802-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua IPC-SD5300-T	Dahua Technology	800x600 (4:3)					
Dahua IPC-SD5600	Dahua Technology	800x600 (4:3)					
Dahua IPC-SD5600-T	Dahua Technology	800x600 (4:3)					
Dahua N42BD32	Dahua Technology						✓
Dahua N42BJ62	Dahua Technology			✓			✓
Dahua N44CL52	Dahua Technology	2688x1520	✓	✓			✓
Dahua N45BL5Z	Dahua Technology	2688x1520	✓	✓			✓
Dahua N45CB5Z	Dahua Technology	2688x1520	✓	✓	✓		✓
Dahua N45CL5Z	Dahua Technology		✓	✓	✓		✓
Dahua N45DJ62	Dahua Technology			✓			✓
Dahua N68BR4V	Dahua Technology		✓	✓	✓		✓
Dahua N82AL32	Dahua Technology						✓
Dahua PC-HDW5241TM-AS-LED	Dahua Technology			✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua PSDW5231S-B120	Dahua Technology		✓	✓	✓	✓	✓
Dahua PSDW5631S-B360	Dahua Technology		✓	✓	✓	✓	✓
Dahua PSDW81642M-A360	Dahua Technology		✓	✓	✓	✓	✓
Dahua PSDW8842M-A180	Dahua Technology		✓	✓	✓	✓	✓
Dahua PSDW8842ML-A180-D237	Dahua Technology		✓	✓	✓	✓	✓
Dahua PTZ12230F-IRB-N	Dahua Technology	800x600 (4:3)				✓	
Dahua PTZ12230F-LR8-N	Dahua Technology	800x600 (4:3)				✓	
Dahua PTZ35220S-IRA-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SD22204T-GN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD29204S-GN(-W)	Dahua Technology	800x600 (4:3)				✓	
Dahua SD32203S-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD40212T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD42212T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD42C212T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD50120T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD50220T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD50230T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD50430U-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD52C120T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD52C220T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD52C230T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD52C430U-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD59120T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD59220T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD59230T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD59230T-PV1-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD59430U-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD60120T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD60220T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD60230T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD65230-HNI	Dahua Technology	800x600 (4:3)				✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Dahua SD65320-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6A230-HNI	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6A320-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6AE230F-HNI	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6AE530U-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6AL230F-HNI	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6AW230-HNI	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6AW320-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6C120T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6C220T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6C230T-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SD6C430U-HN	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZ1020S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZ2020S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZ2030S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZH1020S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZH2030S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZW1020S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua SDZW2030S-N	Dahua Technology	800x600 (4:3)				✓	
Dahua TPC-BF5421-T	Dahua Technology		✓	✓	✓	✓	✓
delete	Axis Communications	1920x1080 (16:9)	✓	✓	✓		✓
DMC-5054BZW	D-Max						
Flir A310PT	Flir						
Flir Ariel 3MP	Flir		✓	✓	✓		✓
Flir Ariel 4K UHD	Flir		✓	✓	✓	✓	✓
Flir Ariel CB-3102	Flir			✓	✓	✓	✓
Flir Ariel CM-3102	Flir						✓
Flir Ariel CM-3202	Flir						✓
Flir Ariel Quad HD	Flir		✓	✓	✓	✓	✓
Flir CB-5222-11	Flir		✓	✓	✓		✓
Flir CB-5222-21	Flir		✓	✓	✓		✓
Flir CB-5222-31	Flir		✓	✓	✓		✓
Flir CF-5212	Flir		✓	✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Flir CF-5222	Flir		✓	✓	✓	✓	
Flir CP-6302-30-R - INDOOR	Flir		✓	✓	✓	✓	✓
Flir CP-6302-31-P - OUTDOOR	Flir		✓	✓	✓	✓	✓
Flir DM-312	Flir					✓	
Flir DM-324	Flir					✓	
Flir DM-350	Flir					✓	
Flir DM-392	Flir					✓	
Flir DM-612	Flir					✓	
Flir DM-624	Flir					✓	
Flir DM-650	Flir					✓	
Flir DM-695	Flir					✓	
Flir DX-306	Flir					✓	
Flir DX-312	Flir					✓	
Flir DX-324	Flir					✓	
Flir DX-350	Flir					✓	
Flir DX-612	Flir					✓	
Flir DX-624	Flir					✓	
Flir DX-650	Flir					✓	
Flir F-608 ID	Flir					✓	
Flir F-612 ID	Flir					✓	
Flir F-617 ID	Flir					✓	
Flir F-625 ID	Flir					✓	
Flir F-644 ID	Flir					✓	
Flir FB-309 ID	Flir				✓	✓	
Flir FB-309-O	Flir					✓	
Flir FB-312 ID	Flir				✓	✓	
Flir FB-312-O	Flir					✓	
Flir FB-324 ID	Flir				✓	✓	
Flir FB-324-O	Flir					✓	
Flir FB-349 ID	Flir				✓	✓	
Flir FB-349-O	Flir					✓	
Flir FB-393 ID	Flir				✓	✓	
Flir FB-393-O	Flir					✓	
Flir FB-618 ID	Flir				✓	✓	
Flir FB-618-O	Flir					✓	
Flir FB-632 ID	Flir				✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Flir FB-632-O	Flir					✓	
Flir FB-650-ID	Flir				✓	✓	
Flir FB-650-O	Flir					✓	
Flir FB-695 ID	Flir				✓	✓	
Flir FB-695-O	Flir					✓	
Flir FC-304 ID	Flir				✓	✓	✓
Flir FC-304O	Flir				✓		✓
Flir FC-305 ID	Flir				✓	✓	✓
Flir FC-305O	Flir				✓		✓
Flir FC-309 ID	Flir				✓	✓	✓
Flir FC-309O	Flir				✓		✓
Flir FC-313 ID	Flir				✓	✓	✓
Flir FC-313O	Flir				✓		✓
Flir FC-317 ID	Flir				✓	✓	✓
Flir FC-317O	Flir				✓		✓
Flir FC-324 ID	Flir				✓	✓	✓
Flir FC-324O	Flir				✓		✓
Flir FC-332 ID	Flir				✓	✓	✓
Flir FC-344 ID	Flir				✓	✓	✓
Flir FC-344O	Flir				✓		✓
Flir FC-369 ID	Flir				✓	✓	✓
Flir FC-369O	Flir				✓		✓
Flir FC-608 ID	Flir				✓	✓	✓
Flir FC-608O	Flir				✓		✓
Flir FC-610 ID	Flir				✓	✓	✓
Flir FC-610O	Flir				✓		✓
Flir FC-617 ID	Flir				✓	✓	✓
Flir FC-617O	Flir				✓		✓
Flir FC-625 ID	Flir				✓	✓	✓
Flir FC-625O	Flir				✓		✓
Flir FC-632 ID	Flir				✓	✓	✓
Flir FC-632O	Flir				✓		✓
Flir FC-632R	Flir						
Flir FC-644 ID	Flir				✓	✓	✓
Flir FC-644O	Flir				✓		✓
Flir FC-645R	Flir						



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Flir FC-669 ID	Flir				✓	✓	✓
Flir FC-6690	Flir				✓		✓
Flir FC-690 ID	Flir				✓	✓	✓
Flir FC-6900	Flir				✓		✓
Flir PT-602CZ HD	Flir					✓	
Flir PT-606Z HD	Flir					✓	
Flir PT-608 HD	Flir					✓	
Flir PT-612 HD	Flir					✓	
Flir PT-617 HD	Flir					✓	
Flir PT-625 HD	Flir					✓	
Flir PT-644 HD	Flir					✓	
Flir Quasar 1080p IR	Flir		✓	✓	✓	✓	✓
Flir QUASAR 12MP HEMISPHERIC	Flir		✓	✓	✓		✓
Flir Quasar 4K Fixed	Flir		✓	✓			✓
Flir Quasar 4K IR	Flir		✓	✓	✓	✓	
Flir QUASAR 6MP HEMISPHERIC	Flir		✓	✓	✓		✓
Flir Quasar Quad	Flir		✓	✓		✓	✓
Flir Saros DH-390	Flir		✓	✓			
Hanwha (Samsung) Default	Hanwha /Samsung						
Hanwha (Samsung) PNO-9080R	Hanwha /Samsung	2592x1944 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 4000x3000 (PAL), 4096x2160, 2592x1464, 800x448	✓	✓	✓		✓
Hanwha (Samsung) QNO-6082R	Hanwha /Samsung	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 800x448		✓	✓		✓
Hanwha (Samsung) QNO-8080R	Hanwha /Samsung	2592x1944 (4:3), 800x600 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 800x448			✓		✓
Hanwha (Samsung) SNB-1000	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3)			✓		
Hanwha (Samsung) SNB-1001	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓		
Hanwha (Samsung) SNB-2000	Hanwha /Samsung	4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288			✓		
Hanwha (Samsung) SNB-3000	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SNB-3002	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓		
Hanwha (Samsung) SNB-5000	Hanwha /Samsung	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-5001	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SNB-5004	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-6003	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-6004	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-6010	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)					
Hanwha (Samsung) SNB-7000	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 800x600 (4:3), 1920x1080 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-7001	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SNB-7002	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNB-7004	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-1011	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)			✓		
Hanwha (Samsung) SND-1080	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SND-3080	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288			✓		
Hanwha (Samsung) SND-3080C	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288			✓		
Hanwha (Samsung) SND-3082	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓		
Hanwha (Samsung) SND-5010	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)					
Hanwha (Samsung) SND-5011	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SND-5061	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SND-5080	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-5084	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-6011R	Hanwha /Samsung	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-6083	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-6084	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-6084R	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-7011	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SND-7061	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SND-7080	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 800x600 (4:3), 1920x1080 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-7082	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-7084	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SND-7084R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNF-7010	Hanwha /Samsung	4CIF (704x480), 704x576 (PAL)	✓	✓	✓		
Hanwha (Samsung) SNF-7010V	Hanwha /Samsung	2048x1536 (4:3)	✓	✓	✓		
Hanwha (Samsung) SNF-7010VM	Hanwha /Samsung	2048x1536 (4:3)	✓	✓			
Hanwha (Samsung) SNH-1011	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3)	✓	✓			
Hanwha (Samsung) SNH-P6410BN	Hanwha /Samsung	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9)	✓				
Hanwha (Samsung) SNO-1080R	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)			✓		
Hanwha (Samsung) SNO-5080R	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SNO-6011R	Hanwha /Samsung	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 320x180 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SNO-6084R	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SNO-7080R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNO-7082R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNO-7084R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNP-3120	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓		✓	✓	
Hanwha (Samsung) SNP-3120V	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3120VH	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3302	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3302H	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3371	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3371TH	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-3430H	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓	✓	
Hanwha (Samsung) SNP-5200	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-5200H	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-5300	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-5300H	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SNP-6200	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6200H	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6200RH	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6201	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6201H	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6320	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNP-6320H	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓	✓	
Hanwha (Samsung) SNV-1080	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓		
Hanwha (Samsung) SNV-1080R	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓		
Hanwha (Samsung) SNV-3080	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓		
Hanwha (Samsung) SNV-3082	Hanwha /Samsung	640x480 (4:3), 4CIF (704x480), CIF (352x240)	✓	✓	✓		
Hanwha (Samsung) SNV-3120	Hanwha /Samsung	640x480 (4:3), 320x240 (4:3), 4CIF (704x480), CIF (352x240), 704x576 (PAL), 352x288	✓	✓	✓		
Hanwha (Samsung) SNV-5010	Hanwha /Samsung	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)					
Hanwha (Samsung) SNV-5080	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-5080R	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SNV-5084	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-6012M	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)					
Hanwha (Samsung) SNV-6013	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)					
Hanwha (Samsung) SNV-6084	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-6084R	Hanwha /Samsung	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-7080	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 800x600 (4:3), 1920x1080 (16:9), 320x180 (16:9), 1280x1024 (11:4)			✓		
Hanwha (Samsung) SNV-7080R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-7082	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-7084	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SNV-7084R	Hanwha /Samsung	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9), 1280x1024 (11:4)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hanwha (Samsung) SNZ-5200	Hanwha /Samsung	1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)	✓	✓	✓		
Hanwha (Samsung) SPE-100 (Encoder)	Hanwha /Samsung		✓	✓	✓		✓
Hanwha (Samsung) SPE-101 (Encoder)	Hanwha /Samsung		✓	✓	✓		✓
Hanwha (Samsung) SPE-110 (Encoder)	Hanwha /Samsung						
Hanwha (Samsung) SPE-1610 (Encoder)	Hanwha /Samsung		✓	✓	✓		
Hanwha (Samsung) SPE-400 (Encoder)	Hanwha /Samsung		✓	✓	✓		✓
Hanwha (Samsung) SPE-410 (Encoder)	Hanwha /Samsung		✓	✓	✓		
Hikvision Default	Hikvision Digital Technology						
Hikvision DS-2CD2012	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD2032	Hikvision Digital Technology	1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD2112	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD2132	Hikvision Digital Technology	1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD2185FWD-I	Hikvision Digital Technology	3840x2160 (16:9)	✓	✓	✓		✓
Hikvision DS-2CD2312	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD2332	Hikvision Digital Technology	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD2612	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD2632	Hikvision Digital Technology	1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD2712	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD2732	Hikvision Digital Technology	1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD2743G1-IZS	Hikvision Digital Technology	2688x1520	✓	✓	✓		✓
Hikvision DS-2CD6362F-IS	Hikvision Digital Technology	3072x2048	✓	✓	✓	✓	✓
Hikvision DS-2CD7133	Hikvision Digital Technology	640x480 (4:3)					
Hikvision DS-2CD7153	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD7164	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD7233	Hikvision Digital Technology	640x480 (4:3)					
Hikvision DS-2CD7253	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD7254	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9)					
Hikvision DS-2CD7255	Hikvision Digital Technology	1920x1080 (16:9)					
Hikvision DS-2CD7264	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hikvision DS-2CD7283	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD733	Hikvision Digital Technology	640x480 (4:3)					
Hikvision DS-2CD7353	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD752	Hikvision Digital Technology	1600x1200 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD753	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD754	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9)					
Hikvision DS-2CD755	Hikvision Digital Technology	1920x1080 (16:9)					
Hikvision DS-2CD763	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD764	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD783	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD793	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2CD802	Hikvision Digital Technology	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 528x384 (PAL), 352x288, 176x144, 528x320 (NTSC)					
Hikvision DS-2CD812	Hikvision Digital Technology	4CIF (704x480), 2CIF (704x240), CIF (352x240), QCIF (176x120), 704x576 (PAL), 704x288 (PAL), 528x384 (PAL), 352x288, 176x144, 528x320 (NTSC)					
Hikvision DS-2CD8133	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD8153	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 640x480 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD8233	Hikvision Digital Technology	640x480 (4:3)					
Hikvision DS-2CD8253	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD8254	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9)					
Hikvision DS-2CD8264	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD833	Hikvision Digital Technology	640x480 (4:3)					
Hikvision DS-2CD8464	Hikvision Digital Technology	1280x960 (4:3), 640x480 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD853	Hikvision Digital Technology	1600x1200 (4:3), 1280x960 (4:3), 1280x720 (16:9), 1600x912 (7:4)					
Hikvision DS-2CD854	Hikvision Digital Technology	1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD855	Hikvision Digital Technology	1920x1080 (16:9)					
Hikvision DS-2CD863	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hikvision DS-2CD864	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2CD883	Hikvision Digital Technology	1600x1200 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2CD893	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DE5174 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)				✓	
Hikvision DS-2DE5184 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2DE7174 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DE7184 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2DF1-512/502	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)				✓	
Hikvision DS-2DF1-513/515/517-B	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-514/504	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-516/506	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-518/508	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-572	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF1-57A	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF1-611/601H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-612/602H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-613/603H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-615/605H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-616/606H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-617/607H	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-672	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF1-713/715/717-B	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF1-714/716/718	Hikvision Digital Technology	4CIF (704x480), 704x576 (PAL)					
Hikvision DS-2DF5274 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF5276 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF5284 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)				✓	
Hikvision DS-2DF5286 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Hikvision DS-2DF6A436X-AEL	Hikvision Digital Technology	2560x1440 (16:9)	✓	✓	✓	✓	✓
Hikvision DS-2DF7274 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF7276 series	Hikvision Digital Technology	1280x960 (4:3), 1280x720 (16:9)					
Hikvision DS-2DF7284 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Hikvision DS-2DF7286 series	Hikvision Digital Technology	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Huawei Default	Huawei					✓	
Huawei IPC6125-WDL-D 2-Megapixel	Huawei	1920x1080 (16:9)	✓	✓			✓
Huawei IPC6125-WDL-FA 2-Megapixel	Huawei	1920x1080 (16:9)	✓	✓			✓
Huawei IPC6125-WDL-P 2-Megapixel	Huawei	1920x1080 (16:9)	✓	✓			✓
Huawei IPC6211-VRZ 1.3 Megapixel	Huawei	1920x1080 (16:9)	✓	✓	✓		✓
Huawei IPC6221-VRZ 2 Megapixel	Huawei	1920x1080 (16:9)	✓	✓	✓		✓
Huawei IPC6221-VRZ-SP 2 Megapixel	Huawei	1920x1080 (16:9)	✓	✓	✓		✓
Huawei IPC6224-IR 2-Megapixel	Huawei	1920x1080 (16:9)					✓
Huawei IPC6224-VRZ 2-Megapixel	Huawei	1920x1080 (16:9)					✓
Huawei IPC6324-MIF 2-Megapixel	Huawei	1920x1080 (16:9)		✓			✓
Huawei IPC6324-MIR 2-Megapixel	Huawei	1920x1080 (16:9)					✓
Huawei IPC6525-Z30 2-Megapixel	Huawei	1920x1080 (16:9)	✓	✓	✓	✓	✓
Huawei IPC6525-Z30-S 2-Megapixel	Huawei	1920x1080 (16:9)				✓	✓
Huawei IPC6625-Z30 2-Megapixel	Huawei	1920x1080 (16:9)	✓	✓	✓	✓	✓
Hunt Default	Hunt Electronic						
Hunt HLC-1NEM	Hunt Electronic	1280x800 (16:10)					
Intellinet Default	Intellinet Network Solutions						
IntelliNet IBC-637IR	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x800 (16:10)					
IntelliNet IDC-752IR	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9)					
IntelliNet IDC-757IR	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9)					
IntelliNet IDC-767IR	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
IntelliNet IDC-862	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9)					
IntelliNet NFC30	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
IntelliNet NFC30-WG	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
IntelliNet NFC31	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)					
IntelliNet NFC31-WG	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
IntelliNet NFD30	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
IntelliNet NSC11	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
IntelliNet NSC11-WN	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
IntelliNet NSC15	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3)					
IntelliNet NSC15-WG	Intellinet Network Solutions	640x480 (4:3), 320x240 (4:3)					
IntelliNet NSC18-WN	Intellinet Network Solutions	1024x768 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x1024 (11:4)					
IQeye Default	IQinVision						
IQeye IQ030SI-V11	IQinVision	D1 (720x480)		✓			
IQeye IQ031SI-V11	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)		✓			
IQeye IQ032SI-V11	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)		✓			
IQeye IQ761NI	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓	✓		
IQeye IQ761WI	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓	✓		
IQeye IQ762NI	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓	✓		
IQeye IQ762WI	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓	✓		
IQeye IQ763NI	IQinVision	800x450 (16:9), 640x360 (16:9), 320x180 (16:9)	✓	✓	✓		
IQeye IQ763WI	IQinVision	2048x1536 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3)	✓	✓	✓		
IQeye IQ765NI	IQinVision	640x480 (4:3), 480x360 (4:3), 320x240 (4:3)	✓	✓	✓		
IQeye IQ861NE	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)			✓		
IQeye IQ861WE	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)			✓		
IQeye IQ862NE	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)			✓		
IQeye IQ862WE	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)			✓		
IQeye IQ863NE	IQinVision	800x450 (16:9), 640x360 (16:9), 320x180 (16:9)			✓		
IQeye IQ863WE	IQinVision	2048x1536 (4:3), 640x480 (4:3), 480x360 (4:3), 320x240 (4:3)			✓		
IQeye IQ865NE	IQinVision	640x480 (4:3), 480x360 (4:3), 320x240 (4:3)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
IQeye IQA30N	IQinVision	D1 (720x480)					
IQeye IQA31N	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQA31W	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQA32N	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQA32W	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQA33N	IQinVision	800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQA33W	IQinVision	640x480 (4:3), 480x360 (4:3), 320x240 (4:3)					
IQeye IQA35N	IQinVision	640x480 (4:3), 480x360 (4:3)					
IQeye IQD30SV	IQinVision	D1 (720x480)					
IQeye IQD31SV	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQD32SV	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQM30NE	IQinVision	D1 (720x480)					
IQeye IQM31NE	IQinVision	1280x720 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
IQeye IQM32NE	IQinVision	1920x1080 (16:9), 800x450 (16:9), 640x360 (16:9), 320x180 (16:9)					
JVC Default	JVC						
JVC VN-X25U	JVC	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3)					
Lilin Default	Lilin	1920x1080 (16:9)				✓	
Lilin FR3362	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), 2048x2048, 1080x1080, 720x720, 480x480, 3072x768, 3072x2048	✓	✓	✓		✓
Lilin FR33C2	Lilin	3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), 4000x3000 (PAL), 2048x2048, 1080x1080, 720x720, 480x480, 3072x768	✓	✓	✓		✓
Lilin IPD2122ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin IPD2122ES6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin IPD2220ES2	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓
Lilin IPD2220ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin IPD2322ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPD6122ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPD6132ESX3.6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPD6220ES2	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓
Lilin IPD6220ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓
Lilin IPD6222ES2	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓
Lilin IPD6222ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	✓
Lilin IPG1022ESX3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPG1032ESX3	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPG1052ES	Lilin	2592x1944 (4:3), 2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR2122ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓		✓	✓
Lilin IPR2122ES6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓		✓	✓
Lilin IPR2322ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR2522ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR2522ES6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR320ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin IPR424ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR428ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR434ESX2.4	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin IPR434ESX3.6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR438ESX2.4	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR438ESX3.6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR6122ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR6132ESX3.6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR722ES4.3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin IPR722ES6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin IPR732ES4.3	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓		✓	✓
Lilin IPR732ES6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓		✓	✓
Lilin IPR7424ESX2.4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR7424ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR7428ESX2.4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR7428ESX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPR7722ESX3.6	Lilin	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS2102E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS3102E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS4184E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS4188E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin IPS4204EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 640x480, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS4208EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 640x480, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS4304EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 640x480, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS4308EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 640x480, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5180E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5184	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5188	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5200E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5200EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5204A	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5208A	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5300E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5300EA	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5304A	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IPS5308A	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IRS1304	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin IRS1308	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin LB1022EX3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LD2122E4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin LD2122E6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin LD2222E2	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	
Lilin LD2222E4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓			✓	
Lilin LD2322EX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LD6122EX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR2122E4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin LR2122E6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin LR2322EX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR2522E4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR2522E6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR302	Lilin	1920x1080 (16:9)					✓
Lilin LR312	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin LR6022EX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	
Lilin LR6122EX3.6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR632	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720					✓
Lilin LR7022E4	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin LR7022E6	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin LR7224EX3.6	Lilin	1920x1080 (16:9)	✓	✓	✓	✓	✓
Lilin LR7228EX3.6	Lilin	1920x1080 (16:9)	✓	✓	✓	✓	✓
Lilin LR7424EX3.6	Lilin	1920x1080 (16:9)	✓	✓	✓	✓	✓
Lilin LR7428EX3.6	Lilin	1920x1080 (16:9)	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin LR7722EX3.6	Lilin	1920x1080 (16:9)	✓	✓	✓	✓	✓
Lilin LR832	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin MD2222	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓			✓	✓
Lilin MG1022	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960	✓	✓	✓		✓
Lilin MR2922AX	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960	✓	✓	✓		✓
Lilin MR2922X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin MR2942X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 960x960					✓
Lilin MR302	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin MR3022	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin MR3022A	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960	✓	✓	✓		✓
Lilin MR3042	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960					✓
Lilin MR312	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin MR632	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720					✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin MR6322	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin MR6342A	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960					✓
Lilin MR6422AX	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720, 960x960	✓	✓	✓		✓
Lilin MR6422X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin MR6442AX	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 960x960	✓	✓	✓		✓
Lilin MR6442X	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 640x480, 2688x1520, 1080x1080, 720x720					✓
Lilin MR652	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720					✓
Lilin MR832	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720				✓	✓
Lilin MR8322	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720					✓
Lilin MR8342	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin MR8422X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960					✓
Lilin PSD4624EX20	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin PSD4624EX30	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin PSR5024EX20	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), D1 (720x576), 1080x1080, 720x720, 480x480	✓	✓		✓	✓
Lilin PSR5024EX30	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), D1 (720x576), 1080x1080, 720x720, 480x480	✓	✓		✓	✓
Lilin PZD6422EX3	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 640x480, 1080x1080, 720x720			✓	✓	✓
Lilin SD2222E2	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓			✓	✓
Lilin SD2222E4	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓			✓	✓
Lilin SG1122E	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓
Lilin SR2922EX3	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓
Lilin SR6422EX3	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓
Lilin SR7022E4	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960				✓	✓
Lilin SR7022E6	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960				✓	✓
Lilin SR7424X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin SR7428X	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓
Lilin SR8222E4	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720, 960x960	✓	✓	✓	✓	✓
Lilin UFG1122E	Lilin	1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin UHG1182E	Lilin	3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZD2322EX3	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZD6122EX3	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZG1232EX3	Lilin	2048x1536 (4:3), 1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZHR8182EX2	Lilin	1280x960 (4:3), 3840x2160 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1080x1080, 720x720	✓	✓		✓	✓
Lilin ZMR6422AX-P	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZMR6442AX-P	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 2304x1296	✓	✓	✓	✓	✓
Lilin ZMR6522X	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720				✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin ZMR6542X	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 2304x1296				✓	✓
Lilin ZMR8122X-P	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZMR8142X-P	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 2304x1296	✓	✓	✓	✓	✓
Lilin ZMR8422X	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720				✓	✓
Lilin ZMR8442X	Lilin	1280x960 (4:3), 960x720 (4:3), 640x480 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 2688x1520, 1080x1080, 720x720, 2304x1296				✓	✓
Lilin ZR2322EX3	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZR6122EX3	Lilin	1280x960 (4:3), 640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZR7424EX3	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZR7428EX3	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓	✓	✓	✓
Lilin ZR8022EX10	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓		✓	✓
Lilin ZR8022EX20	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓		✓	✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Lilin ZSR8122EX3	Lilin	1280x960 (4:3), 1920x1080 (16:9), 1280x720 (16:9), D1 (720x480), CIF (352x240), D1 (720x576), 1280x1280, 1080x1080, 720x720	✓	✓		✓	✓
MicroPower Default	MicroPower Technologies						
MicroPower PC20S311R	MicroPower Technologies	640x480 (4:3)					
MOBOTIX Allround M24	MOBOTIX Corporation	1280x960 (4:3), 640x480 (4:3)	✓				
MOBOTIX AllroundDual M15	MOBOTIX Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 704x576 (PAL)	✓				
MOBOTIX AllroundMono M25	MOBOTIX Corporation	704x570	✓	✓	✓		
MOBOTIX Default	MOBOTIX Corporation						
MOBOTIX DualDome D15	MOBOTIX Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 704x576 (PAL)	✓				
MOBOTIX FlexMount S15	MOBOTIX Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 704x576 (PAL)					
MOBOTIX Hemispheric i25	MOBOTIX Corporation	704x570		✓	✓		
MOBOTIX Hemispheric Q24	MOBOTIX Corporation	1280x960 (4:3), 640x480 (4:3)	✓				
MOBOTIX Hemispheric Q25	MOBOTIX Corporation	704x570	✓	✓			
MOBOTIX MonoDome D24	MOBOTIX Corporation	1280x960 (4:3), 640x480 (4:3)					
MOBOTIX MonoDome D25	MOBOTIX Corporation	704x570	✓	✓	✓		
MOBOTIX Vandalism V15	MOBOTIX Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 704x576 (PAL)	✓				
Moog Default	Moog						
Moog EXO	Moog	800x600 (4:3), 640x480 (4:3), 320x240 (4:3)					
OpenEye CM-650	OpenEye	800x600 (4:3)					
OpenEye CM-722	OpenEye	800x600 (4:3)					
OpenEye Default	OpenEye						
OpenEye OE-C6012-RW	OpenEye	800x600 (4:3)					
OpenEye OE-C6022	OpenEye	800x600 (4:3)					
OpenEye OE-C6112	OpenEye	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
OpenEye OE-C6412	OpenEye	800x600 (4:3)					
OpenEye OE-C7012	OpenEye	800x600 (4:3)					
OpenEye OE-C7022	OpenEye	800x600 (4:3)					
OpenEye OE-C7112	OpenEye	800x600 (4:3)					
Panasonic BB-HCM311	Panasonic Corporation	640x480 (4:3), 320x240 (4:3)					
Panasonic BB-HCM701	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 192x144 (4:3)					
Panasonic BB-HCM705	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 192x144 (4:3)					
Panasonic BL-C10	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic BL-C111	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 192x144 (4:3)					
Panasonic BL-C131	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 192x144 (4:3)					
Panasonic BL-C20	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic BL-C30	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic BL-VP101	Panasonic Corporation	1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic BL-VP104	Panasonic Corporation	320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic BL-VP104W	Panasonic Corporation	320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic BL-VT164	Panasonic Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic BL-VT164W	Panasonic Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic Default	Panasonic Corporation						
Panasonic KX-HCM10	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM110	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM230	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM250	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM270	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM280	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic KX-HCM8	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Panasonic WV-CF344	Panasonic Corporation	D1 (720x480), D1 (720x576)					
Panasonic WV-CF354	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CF374	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CF614	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CF624	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CF634	Panasonic Corporation	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-CP300	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP304	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP310	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP314	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP600	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP604	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP620	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP624	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CP630	Panasonic Corporation	960x540 (16:9)					
Panasonic WV-CP634	Panasonic Corporation	960x540 (16:9)					
Panasonic WV-CS584	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW304L	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW314L	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW324L	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW334S	Panasonic Corporation	640x360 (16:9)					
Panasonic WV-CW364S	Panasonic Corporation	640x360 (16:9)					
Panasonic WV-CW590	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW590A	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW594	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW594A	Panasonic Corporation	800x600 (4:3)					
Panasonic WV-CW630S	Panasonic Corporation	960x540 (16:9)					
Panasonic WV-CW634F	Panasonic Corporation	960x540 (16:9)					
Panasonic WV-CW634S	Panasonic Corporation	960x540 (16:9)					
Panasonic WV-NF284	Panasonic Corporation	640x480 (4:3), 320x240 (4:3)					
Panasonic WV-NW502S	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3)					
Panasonic WV-S1111	Panasonic Corporation	1280x960 (4:3)					
Panasonic WV-S1112	Panasonic Corporation	1280x960 (4:3)					
Panasonic WV-S1131	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S1132	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S1511LN	Panasonic Corporation	1280x720 (16:9)					
Panasonic WV-S1531LN	Panasonic Corporation	1920x1080 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-S1531LTN	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2110	Panasonic Corporation	1280x720 (16:9)					
Panasonic WV-S2111L	Panasonic Corporation	1280x720 (16:9)					
Panasonic WV-S2130	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2131	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2131L	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2211L	Panasonic Corporation	1280x720 (16:9)					
Panasonic WV-S2231L	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2511LN	Panasonic Corporation	1280x720 (16:9)					
Panasonic WV-S2531LN	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-S2531LTN	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-SBV111M	Panasonic Corporation	1280x960 (4:3)					
Panasonic WV-SBV131M	Panasonic Corporation	2048x1536 (4:3)					
Panasonic WV-SC384	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SC385	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SC385-Copy	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SC386	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SC588	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SC588A	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SF132	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF135	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF138	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF332	Panasonic Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 640x360 (16:9), 320x180 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SF335	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF336	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF342	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF346	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SF438	Panasonic Corporation	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SF448E	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SFN110	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN130	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN310A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN311A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN311L	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN480	Panasonic Corporation	2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 2048x2048					
Panasonic WV-SFN531	Panasonic Corporation	1920x1080 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SFN532	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN611L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFN631L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFR310A	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFR311A	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFR531	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFR611L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFR631L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV110	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SFV110M	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV130	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV130M	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV310A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV311A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV481	Panasonic Corporation	2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SFV531	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV611L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV631L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SFV631LT	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SFV781L	Panasonic Corporation	2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP102	Panasonic Corporation	640x480 (4:3), 320x240 (4:3), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP105	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP302	Panasonic Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP305	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP306	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP508	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SP509	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SPN310A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPN311A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPN531A	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPV781L	Panasonic Corporation	2048x1536 (4:3), 2560x1920 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 2560x1440 (16:9), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SPW312L	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW531AL	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW532L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW611	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW611L	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW631L	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-SPW631LT	Panasonic Corporation	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9), 160x90 (16:9)					
Panasonic WV-ST162	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-ST165	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SUD638	Panasonic Corporation	1280x960 (4:3), 1920x1080 (16:9)				✓	
Panasonic WV-SW152/SW152M	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW152M	Panasonic Corporation	800x600 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SW155/SW155M	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW155MA	Panasonic Corporation	1280x960 (4:3)					
Panasonic WV-SW158	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW172	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW174W	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW175	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW314	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW316	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW316L	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW352	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW355	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW395	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW395A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW396	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW396A	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW397B	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW458/SW458M	Panasonic Corporation	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW458MA	Panasonic Corporation	2048x1536 (4:3), 1280x960 (4:3), 640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Panasonic WV-SW558	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW559	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)					
Panasonic WV-SW598	Panasonic Corporation	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-SW598A	Panasonic Corporation	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-V1170	Panasonic Corporation	3840x2160 (16:9), 4000x3000 (PAL)					
Panasonic WV-V1330L1	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-V1330LK	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-V2530L1	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-V2530LK	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-V6430L	Panasonic Corporation	1920x1080 (16:9)					
Panasonic WV-X6511N	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Panasonic WV-X6531N	Panasonic Corporation	1280x960 (4:3), 800x600 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 320x180 (16:9)				✓	
Pelco 219-1ES	Pelco	640x480 (4:3)					
Pelco Default	Pelco						
Pelco EHXME036-2	Pelco	640x480 (4:3)					
Pelco EHXME036-2X	Pelco	640x480 (4:3)					
Pelco EHXME036-7	Pelco	640x480 (4:3)					
Pelco EHXME036-7X	Pelco	640x480 (4:3)					
Pelco EHXME136-2	Pelco	640x480 (4:3)					
Pelco EHXME136-2X	Pelco	640x480 (4:3)					
Pelco EHXME136-7	Pelco	640x480 (4:3)					
Pelco EHXME136-7X	Pelco	640x480 (4:3)					
Pelco IBP219-ER	Pelco	640x480 (4:3)					
Pelco IBP319-ER	Pelco	640x480 (4:3)					
Pelco IBP519-ER	Pelco	640x480 (4:3)					
Pelco IBPS110-ER	Pelco	640x480 (4:3)					
Pelco IBPS1110-ER	Pelco	640x480 (4:3)					
Pelco IME119-1EI	Pelco	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Pelco IME119-1EP	Pelco	640x480 (4:3)					
Pelco IME119-1ES	Pelco	640x480 (4:3)					
Pelco IME119-1I	Pelco	640x480 (4:3)					
Pelco IME119-1P	Pelco	640x480 (4:3)					
Pelco IME119-1S	Pelco	640x480 (4:3)					
Pelco IME119-1VI	Pelco	640x480 (4:3)					
Pelco IME119-1VP	Pelco	640x480 (4:3)					
Pelco IME119-1VS	Pelco	640x480 (4:3)					
Pelco IME1L10-BP	Pelco	640x480 (4:3)					
Pelco IME1L10-DP	Pelco	640x480 (4:3)					
Pelco IME219-1EI	Pelco	640x480 (4:3)					
Pelco IME219-1EP	Pelco	640x480 (4:3)					
Pelco IME219-1ES	Pelco	640x480 (4:3)					
Pelco IME219-1I	Pelco	640x480 (4:3)					
Pelco IME219-1P	Pelco	640x480 (4:3)					
Pelco IME219-1S	Pelco	640x480 (4:3)					
Pelco IME219-1VI	Pelco	640x480 (4:3)					
Pelco IME219-1VP	Pelco	640x480 (4:3)					
Pelco IME219-1VS	Pelco	640x480 (4:3)					
Pelco IME3122-1EI	Pelco	640x480 (4:3)					
Pelco IME3122-1EP	Pelco	640x480 (4:3)					
Pelco IME3122-1ES	Pelco	640x480 (4:3)					
Pelco IME3122-1I	Pelco	640x480 (4:3)					
Pelco IME3122-1P	Pelco	640x480 (4:3)					
Pelco IME3122-1S	Pelco	640x480 (4:3)					
Pelco IME3122-1VI	Pelco	640x480 (4:3)					
Pelco IME3122-1VP	Pelco	640x480 (4:3)					
Pelco IME3122-1VS	Pelco	640x480 (4:3)					
Pelco IME3122-B1I	Pelco	640x480 (4:3)					
Pelco IME3122-B1P	Pelco	640x480 (4:3)					
Pelco IME3122-B1S	Pelco	640x480 (4:3)					
Pelco IME319-1EI	Pelco	640x480 (4:3)					
Pelco IME319-1EP	Pelco	640x480 (4:3)					
Pelco IME319-1ES	Pelco	640x480 (4:3)					
Pelco IME319-1I	Pelco	640x480 (4:3)					
Pelco IME319-1P	Pelco	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Pelco IME319-1S	Pelco	640x480 (4:3)					
Pelco IME319-1VI	Pelco	640x480 (4:3)					
Pelco IME319-1VP	Pelco	640x480 (4:3)					
Pelco IME319-1VS	Pelco	640x480 (4:3)					
Pelco IME319-B1I	Pelco	640x480 (4:3)					
Pelco IME319-B1P	Pelco	640x480 (4:3)					
Pelco IME319-B1S	Pelco	640x480 (4:3)					
Pelco IMES19-1EI	Pelco	640x480 (4:3)					
Pelco IMES19-1EP	Pelco	640x480 (4:3)					
Pelco IMES19-1ES	Pelco	640x480 (4:3)					
Pelco IMES19-1I	Pelco	640x480 (4:3)					
Pelco IMES19-1P	Pelco	640x480 (4:3)					
Pelco IMES19-1S	Pelco	640x480 (4:3)					
Pelco IMES19-1VI	Pelco	640x480 (4:3)					
Pelco IMES19-1VP	Pelco	640x480 (4:3)					
Pelco IMES19-1VS	Pelco	640x480 (4:3)					
Pelco IMES5220-EG0	Pelco	640x480 (4:3)					
Pelco IMES5220-EG1	Pelco	640x480 (4:3)					
Pelco IMES5220-ESG0	Pelco	640x480 (4:3)					
Pelco IMES5220-ESG1	Pelco	640x480 (4:3)					
Pelco IMES5220-FW1	Pelco	640x480 (4:3)					
Pelco IMES5220-FWO	Pelco	640x480 (4:3)					
Pelco IMES5220-PB1	Pelco	640x480 (4:3)					
Pelco IMES5220-PBO	Pelco	640x480 (4:3)					
Pelco IMES5220-PG1	Pelco	640x480 (4:3)					
Pelco IMES5220-PGO	Pelco	640x480 (4:3)					
Pelco IMES5220-YB1	Pelco	640x480 (4:3)					
Pelco IMES5220-YBO	Pelco	640x480 (4:3)					
Pelco IMES5230-EG1	Pelco	640x480 (4:3)					
Pelco IMES5230-EGO	Pelco	640x480 (4:3)					
Pelco IMES5230-ESG0	Pelco	640x480 (4:3)					
Pelco IMES5230-ESG1	Pelco	640x480 (4:3)					
Pelco IMES5230-FW1	Pelco	640x480 (4:3)					
Pelco IMES5230-FWO	Pelco	640x480 (4:3)					
Pelco IMES5230-PB0	Pelco	640x480 (4:3)					
Pelco IMES5230-PB1	Pelco	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Pelco IMES5230-PG1	Pelco	640x480 (4:3)					
Pelco IMES5230-PGO	Pelco	640x480 (4:3)					
Pelco IMES5230-YB1	Pelco	640x480 (4:3)					
Pelco IMES5230-YBO	Pelco	640x480 (4:3)					
Pelco IMM12018-1EI	Pelco	640x480 (4:3)					
Pelco IMM12018-1EP	Pelco	640x480 (4:3)					
Pelco IMM12018-1ES	Pelco	640x480 (4:3)					
Pelco IMM12018-1I	Pelco	640x480 (4:3)					
Pelco IMM12018-1P	Pelco	640x480 (4:3)					
Pelco IMM12018-1S	Pelco	640x480 (4:3)					
Pelco IMM12018-B1I	Pelco	640x480 (4:3)					
Pelco IMM12018-B1P	Pelco	640x480 (4:3)					
Pelco IMM12018-B1S	Pelco	640x480 (4:3)					
Pelco IMM12027-1EI	Pelco	640x480 (4:3)					
Pelco IMM12027-1EP	Pelco	640x480 (4:3)					
Pelco IMM12027-1ES	Pelco	640x480 (4:3)					
Pelco IMM12027-1I	Pelco	640x480 (4:3)					
Pelco IMM12027-1P	Pelco	640x480 (4:3)					
Pelco IMM12027-1S	Pelco	640x480 (4:3)					
Pelco IMM12027-B1I	Pelco	640x480 (4:3)					
Pelco IMM12027-B1P	Pelco	640x480 (4:3)					
Pelco IMM12027-B1S	Pelco	640x480 (4:3)					
Pelco IMM12036-1EI	Pelco	640x480 (4:3)					
Pelco IMM12036-1EP	Pelco	640x480 (4:3)					
Pelco IMM12036-1ES	Pelco	640x480 (4:3)					
Pelco IMM12036-1I	Pelco	640x480 (4:3)					
Pelco IMM12036-1P	Pelco	640x480 (4:3)					
Pelco IMM12036-1S	Pelco	640x480 (4:3)					
Pelco IMM12036-B1I	Pelco	640x480 (4:3)					
Pelco IMM12036-B1P	Pelco	640x480 (4:3)					
Pelco IMM12036-B1S	Pelco	640x480 (4:3)					
Pelco IMP110-1ERS	Pelco	640x480 (4:3)					
Pelco IMP1110-1EI	Pelco	640x480 (4:3)					
Pelco IMP1110-1EP	Pelco	640x480 (4:3)					
Pelco IMP1110-1ERI	Pelco	640x480 (4:3)					
Pelco IMP1110-1ERP	Pelco	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Pelco IMP1110-1ES	Pelco	640x480 (4:3)					
Pelco IMP1110-1I	Pelco	640x480 (4:3)					
Pelco IMP1110-1P	Pelco	640x480 (4:3)					
Pelco IMP1110-1S	Pelco	640x480 (4:3)					
Pelco IMP219-1EI	Pelco	640x480 (4:3)					
Pelco IMP219-1EP	Pelco	640x480 (4:3)					
Pelco IMP219-1ERI	Pelco	640x480 (4:3)					
Pelco IMP219-1ERP	Pelco	640x480 (4:3)					
Pelco IMP219-1ERS	Pelco	640x480 (4:3)					
Pelco IMP219-1I	Pelco	640x480 (4:3)					
Pelco IMP219-1P	Pelco	640x480 (4:3)					
Pelco IMP219-1S	Pelco	640x480 (4:3)					
Pelco IMP319-1EI	Pelco	640x480 (4:3)					
Pelco IMP319-1EP	Pelco	640x480 (4:3)					
Pelco IMP319-1ERI	Pelco	640x480 (4:3)					
Pelco IMP319-1ERP	Pelco	640x480 (4:3)					
Pelco IMP319-1ERS	Pelco	640x480 (4:3)					
Pelco IMP319-1ES	Pelco	640x480 (4:3)					
Pelco IMP319-1I	Pelco	640x480 (4:3)					
Pelco IMP319-1P	Pelco	640x480 (4:3)					
Pelco IMP319-1S	Pelco	640x480 (4:3)					
Pelco IMP519-1EI	Pelco	640x480 (4:3)					
Pelco IMP519-1EP	Pelco	640x480 (4:3)					
Pelco IMP519-1ERI	Pelco	640x480 (4:3)					
Pelco IMP519-1ERP	Pelco	640x480 (4:3)					
Pelco IMP519-1ERS	Pelco	640x480 (4:3)					
Pelco IMP519-1ES	Pelco	640x480 (4:3)					
Pelco IMP519-1I	Pelco	640x480 (4:3)					
Pelco IMP519-1P	Pelco	640x480 (4:3)					
Pelco IMP519-1S	Pelco	640x480 (4:3)					
Pelco IMPS110-1EI	Pelco	640x480 (4:3)					
Pelco IMPS110-1EP	Pelco	640x480 (4:3)					
Pelco IMPS110-1ERI	Pelco	640x480 (4:3)					
Pelco IMPS110-1ERP	Pelco	640x480 (4:3)					
Pelco IMPS110-1ERS	Pelco	640x480 (4:3)					
Pelco IMPS110-1ES	Pelco	640x480 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Pelco IMPS110-1I	Pelco	640x480 (4:3)					
Pelco IMPS110-1P	Pelco	640x480 (4:3)					
Pelco IMPS110-1S	Pelco	640x480 (4:3)					
Pelco IPSXME036-2	Pelco	640x480 (4:3)				✓	
Pelco IPSXME036-2X	Pelco	640x480 (4:3)				✓	
Pelco IPSXME036-7	Pelco	640x480 (4:3)				✓	
Pelco IPSXME036-7X	Pelco	640x480 (4:3)				✓	
Pelco IPSXME136-2	Pelco	640x480 (4:3)				✓	
Pelco IPSXME136-2X	Pelco	640x480 (4:3)				✓	
Pelco IPSXME136-7	Pelco	640x480 (4:3)				✓	
Pelco IPSXME136-7X	Pelco	640x480 (4:3)				✓	
Pelco IPX31	Pelco	640x480 (4:3)					
Pelco IPX51	Pelco	640x480 (4:3)					
Pelco IXE11	Pelco	640x480 (4:3)					
Pelco IXE21	Pelco	640x480 (4:3)					
Pelco IXE31	Pelco	640x480 (4:3)					
Pelco IXES1	Pelco	640x480 (4:3)					
Pelco IXP11	Pelco	640x480 (4:3)					
Pelco IXP21	Pelco	640x480 (4:3)					
Pelco IXPS1	Pelco	640x480 (4:3)					
Pelco NET5501 (Encoder)	Pelco	640x480 (4:3)					
Pelco NET5501-I (Encoder)	Pelco	640x480 (4:3)					
Pelco NET5501-XT (Encoder)	Pelco	640x480 (4:3)					
Pelco NET5504 (Encoder)	Pelco	640x480 (4:3)					
Pelco NET5516 (Encoder)	Pelco	640x480 (4:3)					
Pelco NET55508 (Encoder)	Pelco	640x480 (4:3)					
Robotina BKM24I	Robotina		✓	✓	✓		✓
Robotina BKM24SI	Robotina		✓	✓			✓
Robotina BKM44I	Robotina		✓	✓	✓		✓
Robotina BKV24I	Robotina		✓	✓			✓
Robotina Default	Robotina		✓	✓			✓
Robotina DKM24I	Robotina		✓	✓	✓		✓
Robotina DKM24SI	Robotina		✓	✓			✓
Robotina DKM44I	Robotina		✓	✓	✓		✓
Robotina DKV24I	Robotina		✓	✓	✓		✓
Robotina DKV54I	Robotina		✓	✓			✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Robotina PKM220SI	Robotina		✓	✓		✓	✓
Robotina PKM233SI	Robotina		✓	✓		✓	✓
Robotina XKV24I	Robotina		✓	✓			✓
Scallop D7-180	Arecont Vision	1280x1024 (11:4)					
Scallop M6-200	Arecont Vision	1280x720 (16:9)					
Siemens CCBB1225	Siemens	3000x2000					
Siemens CCBB1345	Siemens	3000x2000					
Siemens CCBC1225	Siemens	3000x2000					
Siemens CCBC1327	Siemens	3000x2000					
Siemens CCBC1337	Siemens	3000x2000					
Siemens CCBC1345	Siemens	3000x2000					
Siemens CCBS12254	Siemens	3000x2000					
Siemens CCBS1337	Siemens	3000x2000					
Siemens CCBS1345	Siemens	3000x2000					
Siemens CCIC1410-L	Siemens	640x480 (4:3)	✓	✓			
Siemens CCIC1410-LA	Siemens	640x480 (4:3)	✓	✓			
Siemens CCIC1410-LAW	Siemens	640x480 (4:3)	✓	✓			
Siemens CCID1410-ST	Siemens	640x480 (4:3)	✓	✓			
Siemens CCID1445-DN18	Siemens	752x582	✓	✓			
Siemens CCID1445-DN28	Siemens	752x582	✓	✓			
Siemens CCID1445-DN36	Siemens	752x582	✓	✓			
Siemens CCIS1425	Siemens	1920x1080 (16:9)	✓	✓			
Siemens CCMC1315	Siemens	1280x960 (4:3)	✓	✓			
Siemens CCMS2025	Siemens	1920x1080 (16:9)	✓	✓			
Siemens CCMW1025	Siemens	1280x960 (4:3)	✓	✓			
Siemens CCWC1335	Siemens	3000x2000					
Siemens CCWC1345	Siemens	3000x2000					
Siemens CFIS1425	Siemens	640x480 (4:3)	✓	✓			
Siemens CFMC1315	Siemens	1280x960 (4:3)	✓	✓			
Siemens CFMS2025	Siemens	1920x1080 (16:9)	✓	✓			
Siemens CFMW1025	Siemens	1280x960 (4:3)	✓	✓			
Siemens CVMS2025-IR	Siemens	1920x1080 (16:9)	✓	✓			
Sony Default	Sony Corporation						



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-CH110	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 176x144, 320x192 (5:3)					
Sony SNC-CH120	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-CH140	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-CH160	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-CH180	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-CH210	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 352x288, 176x144, 1376x768, 1440x912, 1680x1056, 320x192 (5:3)					
Sony SNC-CH220	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-CH240	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					
Sony SNC-CH260	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					
Sony SNC-CH280	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					
Sony SNC-CM120	Sony Corporation	1280x960 (4:3), 960x720 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-CS10	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 352x192					
Sony SNC-CS11	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 352x192					
Sony SNC-CS20	Sony Corporation	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-CS50N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-CS50P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF50N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF50P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF80N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF80P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF85N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-DF85P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-DH110	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-DH120	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-DH140	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-DH160	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-DH180	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony SNC-DH210	Sony Corporation	1920x1080 (16:9), 1280x720 (16:9)					
Sony SNC-DH220	Sony Corporation	1920x1080 (16:9), 1920x1440 (4:3)					
Sony SNC-DH240	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-DH260	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					
Sony SNC-DH280	Sony Corporation	1600x1200 (4:3), 1280x960 (4:3), 1024x768 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3), 1920x1440 (4:3)					
Sony SNC-DM110	Sony Corporation	1280x960 (4:3), 960x720 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-DM160	Sony Corporation	1280x960 (4:3), 960x720 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-DS10	Sony Corporation	1280x960 (4:3), 960x720 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-DS60	Sony Corporation	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3)					
Sony SNC-EM520	Sony Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288					
Sony SNC-EM521	Sony Corporation	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288					
Sony SNC-EM602R	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288	✓	✓		✓	
Sony SNC-EM602RC	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288	✓	✓		✓	
Sony SNC-EM630	Sony Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288, 320x184					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-EP520	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), D1 (720x480), 704x576 (PAL)				✓	
Sony SNC-EP550	Sony Corporation	800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)				✓	
Sony SNC-EP580	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3)				✓	
Sony SNC-ER520	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), D1 (720x480), 704x576 (PAL)					
Sony SNC-ER550	Sony Corporation	800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 320x192 (5:3)					
Sony SNC-ER580	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3)					
Sony SNC-ER585	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 1376x768, 1440x912, 1680x1056, 320x192 (5:3)					
Sony SNC-P1	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)					
Sony SNC-P5	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 256x192 (4:3), 160x120 (4:3)				✓	
Sony SNC-RH124	Sony Corporation	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 320x180 (16:9), 800x480					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-RH164	Sony Corporation	768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 320x180 (16:9), 800x480					
Sony SNC-RS46N	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), D1 (720x480)					
Sony SNC-RS86N	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), D1 (720x480)					
Sony SNC-RX530N/B	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 4CIF (704x480), 704x576 (PAL)				✓	
Sony SNC-RX530P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)				✓	
Sony SNC-RX550N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3)				✓	
Sony SNC-RX550P/B	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 4CIF (704x480), 704x576 (PAL)				✓	
Sony SNC-RX570N/W	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 4CIF (704x480), 704x576 (PAL)				✓	
Sony SNC-RX570P/B	Sony Corporation	640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 160x120 (4:3), 4CIF (704x480), 704x576 (PAL)				✓	
Sony SNC-RZ25N	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 256x192 (4:3), 160x120 (4:3)				✓	
Sony SNC-RZ25P	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 256x192 (4:3), 160x120 (4:3)				✓	
Sony SNC-RZ30N	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 736x480				✓	
Sony SNC-RZ30P	Sony Corporation	640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 736x544				✓	
Sony SNC-RZ50N	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 256x192 (4:3), 160x120 (4:3)				✓	
Sony SNC-RZ50P	Sony Corporation	640x480 (4:3), 480x360 (4:3), 384x288 (4:3), 320x240 (4:3), 256x192 (4:3), 160x120 (4:3)				✓	
Sony SNC-VB600	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288					
Sony SNC-VB630	Sony Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288, 320x184					
Sony SNC-VM600	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Sony SNC-VM601	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288					
Sony SNC-VM602R	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x1024 (11:4), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288	✓	✓	✓	✓	✓
Sony SNC-VM630	Sony Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288, 320x184					
Sony SNC-VM631	Sony Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288, 320x184					
Sony SNC-WR630	Sony Corporation	640x480 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1024x576 (16:9), 640x360 (16:9), D1 (720x480), D1 (720x576), 704x576 (PAL), 352x288, 320x184	✓	✓	✓	✓	✓
Sony SNC-ZB550	Sony Corporation	1280x960 (4:3), 1024x768 (4:3), 800x600 (4:3), 768x576 (4:3), 640x480 (4:3), 384x288 (4:3), 320x240 (4:3), 1280x720 (16:9), 1024x576 (16:9), 1280x800 (16:10), 1280x1024 (11:4), D1 (720x480), 800x480, D1 (720x576), 704x576 (PAL), 640x368, 320x192 (5:3)					
Sony UNIONEP520	Sony Corporation	640x480 (4:3)				✓	
Sony UNIONEP550	Sony Corporation	640x480 (4:3)				✓	
Sony UNIONEP580	Sony Corporation	640x480 (4:3)				✓	
Sony UNIONER520	Sony Corporation	640x480 (4:3)					
Sony UNIONER550	Sony Corporation	640x480 (4:3)					
Sony UNIONER580	Sony Corporation	640x480 (4:3)					
Stardot XL	Stardot	2048x1536 (4:3)			✓	✓	
Stardot Default	Stardot	1296x972 (4:3)					
Stardot SD130B	Stardot	1296x960			✓		
Stardot SD130BN	Stardot	1296x960			✓		
Stardot SD130V	Stardot	1296x960			✓		
Stardot SD130VN	Stardot	1296x960			✓		
Stardot SD300B	Stardot	2048x1536 (4:3)			✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Stardot SD300V	Stardot	2048x1536 (4:3)			✓		
Stardot SD500B	Stardot	2592x1944 (4:3)			✓		
Stardot SD500BN	Stardot	2592x1944 (4:3)			✓		
Stardot SD500V	Stardot	2592x1944 (4:3)			✓		
Stardot SD500VN	Stardot	2592x1944 (4:3)			✓		
Stardot SDH1000B	Stardot	3648x2752			✓		
Stardot SDH1000BN	Stardot	3648x2752			✓		
Stardot SDH1000V	Stardot	3648x2752			✓		
Stardot SDH1000VN	Stardot	3648x2752			✓		
Stardot SDH130B	Stardot	1296x976			✓		
Stardot SDH130BN	Stardot	1296x976			✓		
Stardot SDH130V	Stardot	1296x976			✓		
Stardot SDH130VN	Stardot	1296x976			✓		
Stardot SDH300B	Stardot	2048x1536 (4:3)			✓		
Stardot SDH300BN	Stardot	2048x1536 (4:3)			✓		
Stardot SDH300V	Stardot	2048x1536 (4:3)			✓		
Stardot SDH300VN	Stardot	2048x1536 (4:3)			✓		
Stardot SDH500B	Stardot	2560x1944			✓		
Stardot SDH500BN	Stardot	2560x1944			✓		
Stardot SDH500V	Stardot	2560x1944			✓		
Stardot SDH500VN	Stardot	2560x1944			✓		
Stardot SDH-P180-10MP	Stardot	5120x1944			✓		
Stardot SDH-P180-20MP	Stardot	7296x2752			✓		
Stardot SDH-P180-6MP	Stardot	4096x1536			✓		
Stardot SDH-P180-HD	Stardot	2592x960			✓		
Toshiba IK-6210A	Toshiba	480x360 (4:3)					
Toshiba IK-6410A	Toshiba	480x360 (4:3)					
Toshiba IK-6420A	Toshiba	480x360 (4:3)					
Toshiba IK-64DNA	Toshiba	480x360 (4:3)					
Toshiba IK-6550A	Toshiba	480x360 (4:3)					
Toshiba IK-65WDA	Toshiba	480x360 (4:3)					
Toshiba IK-7200A	Toshiba	768 x 494					
Toshiba IK-VR01A	Toshiba	640x480 (4:3)					
Toshiba IK-WB02A	Toshiba	480x360 (4:3)	✓	✓			✓
Toshiba IK-WB15A	Toshiba	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓		✓



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Toshiba IK-WB21A	Toshiba	1280x960 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3)	✓	✓	✓	✓	✓
Toshiba IK-WB70A	Toshiba	640x480 (4:3)	✓	✓	✓		
Toshiba IK-WB80A	Toshiba	1600x1200 (4:3)	✓	✓	✓		
Toshiba IK-WB82A	Toshiba	2048x1536 (4:3)	✓	✓	✓		✓
Toshiba IK-WD01A	Toshiba	640x480 (4:3)	✓	✓	✓		
Toshiba IK-WP41A	Toshiba	1920x1080 (16:9)	✓	✓	✓	✓	✓
Toshiba IK-WR12A	Toshiba	1600x1200 (4:3)	✓	✓	✓		✓
Toshiba IK-4K	Toshiba	3840x2160 (16:9)					
Toshiba IK-DF02A	Toshiba	768 x 494					
Toshiba IK-DF03A	Toshiba	768 x 494					
Toshiba IK-HD5	Toshiba	1920x1080 (16:9)					
Toshiba IK-WB30A	Toshiba	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3)	✓	✓	✓	✓	✓
Toshiba IK-WB81A	Toshiba	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 176x144, 1360x768 (16:9), 1600x904 (16:9)	✓	✓	✓		✓
Toshiba IK-WD12A	Toshiba	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 176x144	✓	✓			✓
Vicon IQ861WE	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL)	✓	✓	✓		
Vicon SN230M	Vicon	1920x1080 (16:9)				✓	
Vicon V9360-1/V9360W-1	Vicon	2048x2048, 3072x2048					
Vicon V-CELL-HD	Vicon	1920x1080 (16:9)					
Vicon CE102B-NIR	Vicon	1920x1080 (16:9)					
Vicon CE-102D-NIR	Vicon	1920x1080 (16:9)					
Vicon CE202D-N	Vicon	1920x1080 (16:9)					
Vicon CE202D-WN	Vicon	1920x1080 (16:9)					
Vicon Default	Vicon						
Vicon IQ761WI	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQ762WI	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQ763WI	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQ862WE	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL)	✓	✓	✓		
Vicon IQ863WE	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL)	✓	✓	✓		



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Vicon IQ865WE	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL)	✓	✓	✓		
Vicon IQ8712NE	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 4000x3000 (PAL)	✓	✓	✓		
Vicon IQB91WI	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQB92WI	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQB93NI	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQB95NI	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQD61NI/WV	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQD62NI/WV	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQD63WV	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQD65NV	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQM61NE/WR	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQM62NE/WR	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQM63WR	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon IQM65NR	Vicon	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9), 1280x720 (16:9)	✓	✓	✓		
Vicon SN230P	Vicon	1920x1080 (16:9)				✓	
Vicon SN663V-B	Vicon	1920x1080 (16:9)				✓	
Vicon SN680D-B-WNIR	Vicon	1920x1080 (16:9)	✓	✓	✓	✓	
Vicon Surveyor MKII – SN230W	Vicon	1920x1080 (16:9)				✓	
Vicon V921B	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Vicon V922B	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					
Vicon V922D-A series	Vicon	2048x1536 (4:3), 1920x1080 (16:9)					
Vicon V923B	Vicon	2048x1536 (4:3), 1920x1080 (16:9), 1280x720 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
Vicon V9360W-E	Vicon	2592x1944 (4:3), 2048x1536 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1920x1080 (16:9), 1280x720 (16:9), 1440x1080, 3072x2048					
VIVOTEK CC8160(HS)	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK CC8130	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK CC8371-HV	VIVOTEK Inc.	2048x1536 (4:3)					
VIVOTEK Default	VIVOTEK Inc.						
VIVOTEK FD7131	VIVOTEK Inc.	640x480 (4:3)	✓				
VIVOTEK FD7132	VIVOTEK Inc.	640x480 (4:3)	✓				
VIVOTEK FD7141	VIVOTEK Inc.	D1 (720x480)					
VIVOTEK FD8131	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8131V	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8133	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8133V	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8134	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8134V	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8135H	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8136	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8151V	VIVOTEK Inc.	1280x1024 (11:4)					
VIVOTEK FD8161	VIVOTEK Inc.	1280x720 (16:9)					
VIVOTEK FD8162	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8163	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8166	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9), 1280x800 (16:10)					
VIVOTEK FD8182-F1	VIVOTEK Inc.	2048x1536 (4:3), 2560x1920 (4:3), 1920x1080 (16:9)					
VIVOTEK FD8335H	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK FD8361	VIVOTEK Inc.	1600x1200 (4:3), 1280x720 (16:9)					
VIVOTEK FD8361L	VIVOTEK Inc.	1600x1200 (4:3), 1280x720 (16:9)					
VIVOTEK FD8362	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8362E	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8363	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8366-V	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FD8372	VIVOTEK Inc.	1920x1080 (16:9), 1920x1536					
VIVOTEK FE8171V	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FE8172	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FE8172V	VIVOTEK Inc.	1920x1080 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
VIVOTEK FE8174	VIVOTEK Inc.	2560x1920 (4:3)					
VIVOTEK FE8174V	VIVOTEK Inc.	2560x1920 (4:3), 1920x1920					
VIVOTEK FE8180	VIVOTEK Inc.	1920x1080 (16:9), 1920x1920					
VIVOTEK FE8181	VIVOTEK Inc.	2560x1920 (4:3), 1920x1080 (16:9), 1920x1920					
VIVOTEK FE8182	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK FE8191	VIVOTEK Inc.	2944x2944, 4072x3046					
VIVOTEK FE8391-V	VIVOTEK Inc.	2944x2944, 4072x3046					
VIVOTEK FE9181-H	VIVOTEK Inc.	1920x1920					
VIVOTEK FE9182-H	VIVOTEK Inc.	1920x1920					
VIVOTEK FE9191	VIVOTEK Inc.	4000x3000 (PAL), 2816x2816					
VIVOTEK FE9381-EHV	VIVOTEK Inc.	1920x1920					
VIVOTEK FE9382-EHV	VIVOTEK Inc.	1920x1920					
VIVOTEK FE9391-EV	VIVOTEK Inc.	4000x3000 (PAL), 2816x2816					
VIVOTEK IB8360	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK IB8360-W	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK IP7130	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP7133	VIVOTEK Inc.	640x480 (4:3), CIF (352x240), 176x144					
VIVOTEK IP7134	VIVOTEK Inc.	640x480 (4:3), CIF (352x240), 176x144					
VIVOTEK IP7135	VIVOTEK Inc.	640x480 (4:3), 160x120 (4:3), CIF (352x240), 176x144					
VIVOTEK IP7137	VIVOTEK Inc.	640x480 (4:3), 160x120 (4:3), CIF (352x240), 176x144					
VIVOTEK IP7142	VIVOTEK Inc.	D1 (720x480), CIF (352x240), 176x144					
VIVOTEK IP7153	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP7154	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP7160	VIVOTEK Inc.	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP7161	VIVOTEK Inc.	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP7361	VIVOTEK Inc.	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP8130	VIVOTEK Inc.	1280x720 (16:9), 1280x800 (16:10), 640x400 (16:10), 320x200 (16:10), 176x144					
VIVOTEK IP8131	VIVOTEK Inc.	1280x720 (16:9), 1280x800 (16:10), 640x400 (16:10), 320x200 (16:10), 176x144					
VIVOTEK IP8131W	VIVOTEK Inc.	1280x720 (16:9), 1280x800 (16:10), 640x400 (16:10), 320x200 (16:10), 176x144					
VIVOTEK IP8133	VIVOTEK Inc.	1280x800 (16:10)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
VIVOTEK IP8133W	VIVOTEK Inc.	1280x800 (16:10)					
VIVOTEK IP8151	VIVOTEK Inc.	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x1024 (11:4), 176x144					
VIVOTEK IP8151P	VIVOTEK Inc.	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 1280x1024 (11:4), 176x144					
VIVOTEK IP8152	VIVOTEK Inc.	1280x1024 (11:4), 176x144, 640x512, 320x256, 960x768					
VIVOTEK IP8161	VIVOTEK Inc.	800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x1024 (11:4), 176x144					
VIVOTEK IP8162	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9)					
VIVOTEK IP8162P	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9)					
VIVOTEK IP816A-LPC	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK IP816A-LPC-v2	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK IP8172	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 384x216 (16:9), 176x144, 1360x768 (16:9), 1600x904 (16:9)					
VIVOTEK IP8172P	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 384x216 (16:9), 176x144, 1360x768 (16:9), 1600x904 (16:9)					
VIVOTEK IP8173H	VIVOTEK Inc.	2048x1536 (4:3), 1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP8331	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK IP8332	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x800 (16:10), 640x400 (16:10), 320x200 (16:10), 176x144					
VIVOTEK IP8332-C	VIVOTEK Inc.	1280x800 (16:10), 640x400 (16:10), 320x200 (16:10), 176x144					
VIVOTEK IP8335H	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 1280x720 (16:9), 1280x800 (16:10), 176x144					
VIVOTEK IP8336W	VIVOTEK Inc.	1280x800 (16:10), 640x400 (16:10), 320x200 (16:10)					
VIVOTEK IP8352	VIVOTEK Inc.	1280x1024 (11:4), 176x144, 640x512, 320x256, 960x768					
VIVOTEK IP8361	VIVOTEK Inc.	1600x1200 (4:3), 1280x960 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 160x120 (4:3), 1280x1024 (11:4), 4CIF (704x480), CIF (352x240), QCIF (176x120), 704x576 (PAL), 352x288, 176x144					
VIVOTEK IP8362	VIVOTEK Inc.	1280x960 (4:3), 800x600 (4:3), 1920x1080 (16:9), 176x144					
VIVOTEK IP8364-C	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9), 640x360 (16:9), 384x216 (16:9), 176x144, 1360x768 (16:9), 1600x904 (16:9)					



# Camera Models Report

Name	Manufacturer	Resolutions	Audio	Microphone	I/O	PTZ	Supports SD
VIVOTEK IP8372	VIVOTEK Inc.	2048x1536 (4:3), 1600x1200 (4:3), 800x600 (4:3), 640x480 (4:3), 320x240 (4:3), 384x216 (16:9), 176x144, 1600x904 (16:9)					
VIVOTEK IZ7151	VIVOTEK Inc.	640x480 (4:3), 320x240 (4:3), 176x144					
VIVOTEK MD7530	VIVOTEK Inc.	640x480 (4:3)					
VIVOTEK MD7560	VIVOTEK Inc.	1600x1200 (4:3), 1280x720 (16:9)					
VIVOTEK MD7560X	VIVOTEK Inc.	1600x1200 (4:3), 1280x720 (16:9)					
VIVOTEK MD8562	VIVOTEK Inc.	1920x1080 (16:9)					
VIVOTEK PT7135	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PT7137	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PT8133	VIVOTEK Inc.	1280x800 (16:10)				✓	
VIVOTEK PT8133W	VIVOTEK Inc.	1280x800 (16:10)				✓	
VIVOTEK PZ7131	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PZ7132	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PZ7151	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PZ7152	VIVOTEK Inc.	640x480 (4:3)				✓	
VIVOTEK PZ71x1	VIVOTEK Inc.	4CIF (704x480), 704x576 (PAL)				✓	
VIVOTEK PZ71x2	VIVOTEK Inc.	4CIF (704x480), 704x576 (PAL)				✓	
VIVOTEK PZ81x1	VIVOTEK Inc.	4CIF (704x480), 704x576 (PAL)				✓	
VIVOTEK PZ81x1W	VIVOTEK Inc.	4CIF (704x480), 704x576 (PAL)				✓	
VIVOTEK SD7151	VIVOTEK Inc.	640x480 (4:3)					
VIVOTEK SD7313/SD7323	VIVOTEK Inc.	4CIF (704x480)					
VIVOTEK SD81x1	VIVOTEK Inc.	D1 (720x480), D1 (720x576)					
VIVOTEK SD8362E	VIVOTEK Inc.	1920x1080 (16:9), 1280x720 (16:9)					
VIVOTEK SD83x1E	VIVOTEK Inc.	D1 (720x480), D1 (720x576)					
VIVOTEK SD83x2E	VIVOTEK Inc.	D1 (720x480), D1 (720x576)					
VIVOTEK SD83x3E	VIVOTEK Inc.	D1 (720x480), D1 (720x576)					